STANDARD BIDDING DOCUMENTS

Procurement of Small Works

(up to Nu.5 million)



Name of Work: Construction of Chiwog Meeting Hall at Nyenyul under Sengye Gewog, Sarpang Dzongkhag.

Royal Government of Bhutan Ministry of Finance

2019



न्ययास्य तस्या गल्ना



ROYAL GOVERNMENT OF BHUTAN GEWOG ADMINISTRATION SENGGEY

Ref No. 56/ADM | 01/2020-21/102

Date:-28/10/2020

Limited Tendering

The Gewog Administration, Sengye of Sarpang is pleased to invite sealed bids;

• From interested national contractors having valid license and registered with Construction Development Board for the following works.

Sl. No	Name of Work	Available on Website from	Date of Submission	Class of contract	Estimated Amount (Nu)	EMD (Nu)	Contract Duration
1	Construction of Chewog meeting hall at Nyenyul Chewog.	02/11/2020	16/11/2020	Small	1,945,622.57	38912.00	6 Months

A complete set of tender document can be downloaded from the Sarpang Dzongkhag Website (www.sarpang.gov.bt) and CDB website (www.cdb.gov.bt) with effect from 02/11/2020. In case of Earnest money (EMD), the bidder should complete the Bid Security Declaration form as attested in tender documents. Electronic bids shall not be permitted and late bids shall be rejected. Bidders are requested to check the Dzongkhag website from time to time for any amendments related to above works.

Bid shall be submitted on or before 11:00 AM on 16/11/2020 and the tender will be opened on the same day at 11:30 AM in the Gewog GT Hall Sengye. Interested bidders are requested to attend the bid opening.

Gup

Copy to:

- 1. The ICT Officer, Dzongkhag Administration Sarpang for uploading in Dzongkhag website.
- 2. E-tool focal person, for uploading in CDB website.
- 3. Office copy.

PREFACE

This Standard Bidding Document for the Procurement of small works up to Nu. 5 million has been prepared by the Government Procurement and Property Management Division (GPPMD), Ministry of Finance to be used for the Procurement of small works through National Competitive Bidding (NCB) in projects that are financed in whole or in part by the Royal Government of Bhutan (RGoB). It should be used in conjunction with the Procurement Rules and Regulations. This document will come into effect from 1st July, 2019.

For any comments or clarifications on this standard bidding document contact:

Government Procurement and Property Management Division
Department of National Properties
Ministry of Finance
Royal Government of Bhutan

Guidance Notes on the Use of the Standard Bidding Document for small works (This note should be deleted while preparing the bidding document)

This guidance notes have been prepared by the GPPMD to assist a Procuring Agency in the preparation and using of Standard Bidding Document (SBD), for the procurement of small works. The Procuring Agency should also refer to the Procurement Rules and Regulations and the circulars and Notifications issued from time to time to supplement the Regulations.

The use of SBD applies for the Open bidding method and also for the limited bidding method, whereby bids are invited from a list of bidders. The SBD small work should only be used for Contracts of short duration and of low risk/value.

This SBD has 9 Sections, of which Section 1: (Instruction to Bidders) and Section 5: (General Conditions of Contract) <u>must not be altered or modified under any circumstances.</u>

The Procuring Agency shall address specific needs through the **Bidding Data Sheet (BDS)** and the **Special Conditions of Contract (SCC)**, as well as in the detailed requirements of the procurement in the **Schedule of Works** and/or the **Drawings/specifications**.

The following briefly describes the Sections of SBD and how a Procuring Agency should use these when preparing a particular Bidding Document.

Section 1. Instructions to Bidders (ITB)

This Section provides relevant information to help Bidders prepare their Bids. Information is also provided on the submission, opening, and evaluation of Bids and on the award of Contract.

This Section also contains the criteria to be used by the Employer in order to determine the lowest evaluated Bid and the qualifications of the Bidder to perform the Contract. The text of the clauses in this Section shall not be modified.

Section 2. Bidding Data Sheet (BDS)

This Section consists of provisions that are specific to each procurement and supplements information or requirements included in Section 1: Instructions to Bidders.

Section 3. Evaluation and Qualification Criteria

This section contains all the criteria that the Employer shall use to evaluate bids and qualify Bidders if the bidding was not preceded by a prequalification exercise and post qualifications are applied. The Bidder shall provide all the information requested in the forms included in Section 4 (Bidding Forms).

Section 4. Bidding forms

This Section provides the standard format for the **Bid Form**, **Bid Securing Declaration and qualification information forms** that are to be submitted by the Bidder.

Section 5. General Conditions of Contract (GCC)

This Section provides the General Conditions of Contract that will apply to the Contract for which the Bidding Document is issued. **The text of the clauses in this Section shall not be modified.**

Section 6. Special Conditions of Contract (SCC)

This Section provides clauses specific to the Special Conditions to a particular Contract. This can be modified according to requirements specific to the contract.

Section 7. Contract Forms

This section contains forms which, once completed, will form part of the Contract. The forms for Performance Security and Advance Payment Security, when required, shall only be completed by the successful Bidder after Contract award.

Section 8. Bill of Quantities

This Section provides the items and estimated quantities of Works and Related Services to be performed, as well as the detailed Technical Specifications that describe the Works to be procured and must be carefully prepared by a Procuring Agency for each procurement.

Section 9. Drawings

This Section contains any Drawings that supplement the Schedule of Works Including Specifications for the Works and Related Services to be procured.

ROYAL GOVERNMENT OF BHUTAN
PROJECT

INVITATIONS FOR BIDS (IFB) (Required in case of open tender)

NATIONAL COMPETITIVE BIDDING

		Date: Bid No.:
	The [insert complete name of Employer] invites bids for (insert the works).	brief description of the
i a	Bidding documents may be purchased from the office of	cash or Demand Draft nformation at the same
	Bids must be accompanied by a bid securing declaration. The bid set have to be valid for 30 days beyond the validity of the bid.	ecuring declaration shall
(ds must be delivered to Or on (Date) and will be opened on the same day at Ho	
t	the bidders who wish to attend.	

CONTENTS

Inv	tation For Bid (IFB)	. V
Sec	ction 1: Instructions to Bidder (ITB)	.1
A.	 General	.1 .1 .2
B.	Content of Bidding Document 5. Contents of Bidding Documents 6. Clarification of Bidding Documents 7. Amendment of Bidding Documents	.2 .3
C.	Preparation of Bids 8. One Bid per Bidder 9. Bid Preparation Costs 10. Language of Bid 11. Documents comprising the Bid 12. Form of Bid. 13. Alternative Bid 14. Bid Price and Discount 15. Currencies of Bid and Payment 16. Documents comprising the Technical Proposal 17. Documents establishing the Qualification of the Bidder 18. Bid Validity 19. Bid Securing Declaration 20. Format and Signing of Bid	.3 .3 .3 .4 .4 .4 .4 .5 .5
D.	Submission and Opening of Bids 21. Sealing and Marking of Bids 22. Bid Submission Deadline 23. Late Bids 24. Modification, Substitution or Withdrawal of Bids 25. Bid Opening	.6 .6 .6
E.	Tender Opening and Evaluation 26. Confidentiality 27. Clarification 28. Bidder Contacting the Employer 29. Determination of Responsiveness 30. Non Conformities, Errors and Omissions 31. Evaluation of Bids 32. Abnormally Low Bids 33. Seriously unbalanced Bids or Front Loaded 34. Employer's Right to Accept or Reject any or all	.7 .7 .7 .8 .8
F.	Contract Award	

	36.	Letter of Intent to Award the Contract/ Letter of Acceptance	.10
	37.	Debriefing by Employer	. 11
	38.	Complaints	. 11
Sec	tior	n 2 - Bidding Data Sheet	.12
G.	Ger	neral	.12
Н.	Bid	ding Documents	.12
l.	Pre	paration of Bids	.12
J.	Sub	omission and Opening of Bids	.12
		ard of Contract	
		n 3 – Evaluation and Qualification Criteria	
		1 4: Bidding Forms	
		rd Form: Form of Bid	
		f Bid-Securing Declaration	
		rd Form: Qualification Information	
		rd Form: Letter of Intent	
		n 5. General Conditions of Contract	
	1.	Definitions	
	2.	Interpretation & Documents forming the Contract	
	3.	Corrupt, Fraudulent, Collusive or Coercive Practices	
	4.	Governing Language and Law	
	5.	Engineer's Decision	
	6.	Delegation	.24
	7.	Communications and Notices	.24
	8.	Sub- Contracting	.24
	9.	Contractor's Personnel & Equipment	.24
	10.	Welfare of Labourers & Child Labour	.25
	11.	Safety, Security and Protection of the Environment	.25
	12.	Access to the Site	.25
	13.	Documents & Information.	.25
	14.	Property	.25
	15.	Insurance	.25
		Possession of the Site	
		Commencement of Works	
		Completion of Works	
		Programme of Works	
		Early Warning	
		Compensation Events	
		Non-Scheduled Items of Works	
		Schedule of Works	
		Payment Certificates	
		Payments	
		Variations	
	ZI.	valialiulis	. 29
	28.	Retention	.30
	29.	Liquidated Damages	.30
vii	30.	Performance Security	.30

31. Price Adjustment	30
32. Completion	31
33. Correction of Defects	31
34. Taking Over	31
35. Final Account	32
36. Termination	32
37. Payment upon Termination	33
38. Release from Performance	33
39. Force Majeure	33
40. Settlement of Disputes	34
Section 6. Special Conditions of Contract	35
Section 7 – Contract Forms	37
Letter Of Acceptance	38
Contract Agreement	39
Bank Guarantee For Performance Security	40
Performance Guarantee No:	40
Bank Guarantee For Mobilisation Advance	41
Advance Payment Guarantee No:	41
Section 8. Bill of Quantities (BoQ)	42
Section 9. Drawings	43

SECTION 1: INSTRUCTIONS TO BIDDER (ITB)

A. General

- Scope of Tender
- **1.1.** The Employer, as **indicated in the BDS** issues this Bidding Document for the procurement of Works. The name, identification and identification of this bidding are **provided in the BDS**.
- 12 The successful Bidder will be required to complete the Works within the Time for Completion stated in the Special Conditions of Contract (SCC).
- 1.3. Throughout this Bidding Documents;
 - (a) The term "in writing means communicated in written form with proof of receipt;
 - (b) If the context so requires, singular means plural and vice versa; and
 - (c) "day" means calendar day.
- Corrupt
 Fraudulent
 Collusive
 or Coercive
 Practices
- 2.1. The Royal Government of Bhutan requires that Employers and the Bidders shall observe the highest standard of ethics during the implementation of procurement proceedings and the execution of Contracts under public money.
- 2.2. In pursuance of this requirement, the Employer shall
 - (a) exclude the bidder from participation in the procurement proceeding concerned or reject a proposal for award; and
 - declare a bidder ineligible, either indefinitely or for a stated period of time, from participation in procurement proceedings under public money;

If it, at any time, determines that the bidder has engaged in corrupt, fraudulent, collusive or coercive practices in competing for, or in executing, a Contract under the public money.

- 2.3. The Government defines, for the purposes of this provision, the terms set forth below as follows:
 - (a) "corrupt practice" is the offering, giving, receiving or soliciting, directly or indirectly, of anything of value to influence improperly the actions of another party;

- (b) "fraudulent practice" is any intentional act or omission including misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefits or to avoid an obligation;
- (c) "collusive practice" is an arrangement between two or more parties designed to achieve an improper purpose, including to influence improperly the actions of another party;
- (d) "Coercive practice"⁴ is impairing or harming or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party.
- 2.4. The bidder shall be aware of the provisions on fraud and corruption stated in GCC Clause 3 and GCC Sub-Clause 36.2(d).
- 2.5. The RGoB requires that the Employer's personnel have an equal obligation not to solicit, ask for and/or use coercive methods to obtain personal benefits in connection with the said proceedings.
- 3. Eligible Bidders
- 3.1. Bidders of the categories **specified in the BDS** are eligible to participate in this bidding process.
- 4. Site Visit
- 4.1. The Bidders, at their own responsibility and risk, is encouraged to visit and examine the Site and obtain all information that may be necessary for preparing the bid and entering into a Contract for performance of the Works. The costs of visiting the Site shall be at the bidder's own expense.

B. Content of Bidding Document

Contents of Bidding Documents 5.1. The sections comprising the Bidding Document are listed below and should be read in conjunction with any amendment issued in accordance with ITB Clause 7:

PART 1 Bidding Procedures

- Section 1: Instructions to Bidders (ITB)
- Section 2: Bidding Data Sheet (BDS)
- Section 3: Evaluation and Qualification Criteria
- Section 4: Bidding forms
- Section 5: General Conditions of Contract (GCC)
- Section 6: Special Conditions of Contract (SCC)
- Section 7: Contract Forms
- Section 8: Bill of Quantities & Specifications
- Section 9: Drawings

- 5.2. The Employer is not responsible for the completeness of the Bidding Document and any addendum, if they were not obtained directly from the source stated by the Employer in the Invitation for Bids.
- 5.3. The Bidder is expected to examine all instructions, forms, terms, and specifications in the Bidding Documents. Failure to furnish all information or documentation required by the Bidding Documents may result in the rejection of the bid.
- Clarification of Bidding Documents
- 6.1. A prospective Bidder requiring any clarification of the Bidding Document shall contact the Employer in writing at the Employer's address **indicated in the BDS**.
- 7. Amendment of Bidding Documents
- 7.1. At any time prior to the deadline for submission of Bid, the Employer may amend the Bidding Document by issuing addenda and extend the deadline for the submission of bids at its discretion. Any amendment issued shall become an integral part of the Bidding Document and shall be communicated in writing to all those who have purchased the Bidding Document.

C. Preparation of Bids

- 8. One Bid per Bidder
- 8.1. A Bidder shall submit only one (1) Bid. A Bidder who submits or participates in more than one (1) Bid shall cause all the proposals with the Bidder's participation to be disqualified.
- Bid Preparation Costs
 - 9.1. The Bidder shall bear all costs associated with the preparation and submission of its Bids, and the Employer shall in no case be responsible or liable for those costs, regardless of the conduct or outcome of the Bidding process.
- 10. Language of Bid
- 10.1. All documents relating to the Bid shall be in the language specified in the BDS.
- 11. Documents comprising the Bid
- 11.1. The original and copy(ies) of Bid submitted by the Bidder shall comprise the following:
 - (a) The Bid form (in the format indicated in Section 4);
 - (b) License and certificate
 - (c) Bid Securing Declaration in accordance with Clause 19;
 - (d) Priced Bill of Quantities;
 - (e) **Qualifications:** documentary evidence in accordance with ITB 17 establishing the Bidder's qualifications to perform the Contract;
 - (f) written confirmation authorizing the signatory of the Bid to commit the Bidder, in accordance with ITB sub-clause 20.2;
 - (g) Alternative offers where invited;

- (h) and any other materials required to be completed and submitted by Bidders, as specified in the BDS.
- 11.2. The Instruction to Bidders, Bidding Data Sheet, General Conditions of Contract, Special Conditions of Contract, Specifications and drawings are for the information of the bidders and is not required to be submitted by the bidder.
- 12. Form of Bid
- 12.1. The form of Bid, Schedules, and all documents listed under Clause 11, shall be prepared using the relevant forms in Section 4 (Bidding Forms). The forms must be completed without any alterations to the text, and no substitutes shall be accepted. All blank spaces shall be filled in with the information requested.
- 13. Alternative Bid
- 13.1. Alternative Bid shall not be considered in small works.
- 14. Bid Price and Discount
- 14.1. The prices and discounts quoted by the Bidder in the form of Bid and in the Schedules shall confirm to the requirements specified below;
- 14.2. The bidder shall submit a bid for the whole of the works described in ITB 1.1 by filling in prices for all items of the Works, as identified in Section 4, Bidding Forms. In case of admeasurement contracts, the Bidder shall fill in rates and prices for all items of the Works described in the Bill of Quantities. Items against which no rate or price is entered by the Bidder will not be paid for by the Employer when executed and shall be deemed covered by the rates for other items and prices in the Bill of Quantities.
- 14.3. The Bid price shall take into account the cost of materials, transportation, labour, taxes, levies, overheads and profit and any other cost. The Bid price shall be applicable for the whole works described in the Drawings, Specifications and Schedule of Works.
- 15. Currencies of Bid and Payment
- 15.1. All prices shall be quoted in Bhutanese Ngultrum (BTN) and shall be paid in BTN.
- 16. Documents comprising the Technical Proposal
- 16.1. The bidder shall furnish a work plan in simple bar chart and other information if provided in BDS, to demonstrate the adequacy of the Bidders' proposal to meet the work requirements and the completion time.
- 17. Documents
 establishing the
 Qualification of
 the Bidder
- 17.1. To establish its qualification to perform the Contract in accordance with Section 3 (Evaluation and Qualification Criteria) the Bidder shall provide the information requested in the corresponding information sheets included in Section 4 (Bidding Forms)

- 18. Bid Validity
- 18.1. Bids shall remain valid up to the date **specified in the BDS**. Any Bids which does not meet the validity requirement shall be rejected by the Employer as non-responsive.
- 19. Bid Securing Declaration
- 19.1. The Bidder shall furnish as a part of its Bid, a Bid-Securing Declaration using the form included in Section 4, Bidding Forms.
- 19.2. The Bid Securing Declaration shall be valid for thirty (30) days beyond the bid validity period. In exceptional circumstances, prior to the expiration of the Bid validity period, the Employer may solicit the Bidder's consent to an extension of the Bid validity period. The request and responses shall be made in writing. The validity of Bid Securing Declaration shall be suitably extended.
- 19.3. Any bid not accompanied by a Bid-Securing Declaration in the prescribed format shall be rejected by the Employer as non-responsive.
- 19.4. The Bid-Securing Declaration shall be executed:
 - (a) If the Bidder withdraws the Bid after Bid opening during the period of Bid validity.
 - (b) If the Bidder does not accept the correction of the Bid price, pursuant to ITB clause 30; or
 - (c) In the case of a successful bidder, if the bidder fails within the specified time limit to sign the Agreement; or furnish the required Performance Security.
- 19.5. In case Bid Securing Declaration is executed in pursuant to ITB subclause 19.4 the bidder shall deposit the bid security amount specified in the BDS within 14 days from date of notification by Employer.
- 19.6. In case the bidder fails to comply with ITB sub-clause 19.5, bidder shall be excluded from being eligible for Bidding or submitting Bid in any tender with the Employer for a period of two years.
- 20. Format and Signing of Bid
- 20.1. The Bidder shall prepare one (1) original of the documents comprising the Bid as described in ITB Clause 11 and clearly mark it "ORIGINAL." In addition, the Bidder shall prepare the number of copies of the Bid, as specified in the BDS and clearly mark each of them "COPY." In the event of any discrepancy between the original and the copies, the original shall prevail.
- 20.2. The original and each copy of the Bid shall be typed or written in indelible ink and shall be signed by the person duly authorized to sign on behalf of the Bidder.
- 20.3. Any interlineations, erasures, or overwriting shall be valid only if they are signed or initialled by the person(s) signing the Bid.

D. Submission and Opening of Bids

Sealing and Marking of Bids

- 21.1. The Bidder shall enclose the original in one (1) envelope and all the copies of the bid in another envelope, duly marking the envelopes as "ORIGINAL" and "COPY." These two (2) envelopes shall then be enclosed in one (1) single outer envelope.
- 21.2. The inner envelopes shall:
 - (a) Be signed across the seals by the person authorised to sign the Bid on behalf of the Bidder;
 - (b) Be marked "ORIGINAL" and "COPY" and
 - (c) Bear the name and address of the Bidder.
- 21.3. The outer envelope shall;
 - (a) Be sealed with adhesive or other sealant to prevent reopening;
 - (b) be addressed to the Employer at the address specified in the BDS; bear a statement "DO NOT OPEN BEFORE......" the time and date for Bid opening as specified in the BDS.
- 21.4. If all or any envelopes are not sealed and marked as required by ITB Sub-Clause 21, the Employer shall not reject the bids but assume no responsibility for the misplacement or premature opening of the Bid

22. Bid Submission Deadline

- **22.1.** Bids must be received by the Employer at the address and no later than the date and time **specified in the BDS.**
- 22.2. Bids may be hand delivered, posted by registered mail or sent by courier.
- 22.3. The Employer may, at its discretion, extend the deadline for the submission of Bids by amending the Bidding Document in accordance with ITB Clause 7, in which case all rights and obligations of the Employer and Bidders previously subject to the deadline shall thereafter be subject to the new deadline as extended.
- 23. Late Bids
- 23.1. Late bids shall not be considered and shall be returned unopened.
- 24. Modification, Substitution or Withdrawal of Bids
- 24.1. A Bidder may modify, substitute or withdraw their Bids after it has been submitted by sending a written notice before the deadline for submission of Bids.
- 25. Bid Opening
- 25.1. The Employer shall open the Bids in the presence of the bidders attending the bid opening, including modifications or substitutions made pursuant to ITB Clause 24. Bidders or their representatives shall be allowed to attend and witness the bid opening and shall sign a register evidencing their attendance.

- 25.2. The name of the Bidder, Bid modifications, substitutions or withdrawals, total amount of each Bid, number of corrections, discounts, and the presence or absence of Bid Securing Declaration, and such other details as the Employer, at its discretion, may consider appropriate, shall be read out aloud and recorded.
- 25.3. The Employer shall prepare minutes of the Bid opening. The minutes shall include, as a minimum, the name of the Bidders and whether there has been a withdrawal, substitution or modification; the Bid Price including any discounts and the presence or absence of a Bid Securing Declaration, if required.

E. Tender Opening and Evaluation

- 26. Confidentiality
- 26.1. After the opening of Bids, information relating to the examination, clarification, and evaluation of Bids and recommendations for award shall not be disclosed to Bidders or other persons not officially concerned with the evaluation process until after the issuance of Letter of Intent to award the Contract.
- 27. Clarification
- 27.1. The Employer may ask Bidders for clarification of their Bids in order to facilitate the examination and evaluation of Bids. The request for clarification and the response shall be in writing, and any changes in the prices or substance of the Bid shall not be sought, offered or permitted, except to confirm the correction of arithmetical errors discovered by the Employer in the evaluation of the Bids, in accordance with ITB Clause 30.
- 28. Bidder
 Contacting the
 Employer
- 28.1. Following the opening of Bids and until the letter of Intent to award the Contract is issued no Bidder shall make any unsolicited communication to the Employer or try in any way to influence the Employer's examination and evaluation of Bids which may result in the rejection of bids. If any Bidder wishes to contact the Employer on any matter related to the Bidding process, it should do so in writing.
- 29. Determination of Responsiveness
- 29.1. Prior to detailed evaluation of bids, the employer shall determine whether each bid (a) meets the eligibility criteria defined in ITB clause 3; (b) has been properly signed; (c) is accompanied by the bid securing declaration; and (d) is substantially responsive to the requirements of the bidding documents.
- 29.2. A substantially responsive Bid is one that conforms in all respects to the requirements of the Bidding Document without material deviation, reservation or omission. A material deviation, reservation or omission is one that:
 - (a) affects in any substantial way the scope, quality, or performance of the Works specified in the Contract; or

- (b) limits in any substantial way, or is inconsistent with the Bid Document, the Employer's rights or the Bidder's obligations under the Contract; or
- (c) if rectified would unfairly affect the competitive position of other Bidders presenting substantially responsive Bids.
- 29.3. If a Bid is not substantially responsive to the Bidding Document it shall be rejected by the Employer and shall not subsequently be made responsive by the Bidder by correction of the material deviation, reservation or omission.
- 30. Non
 Conformities,
 Errors and
 Omissions
- 30.1. The Employer may regard a Bid as responsive even if it contains minor deviations that do not materially alter or depart from the characteristics, terms, conditions and other requirement set forth in the Bidding Document or if it contains errors or oversights that are capable of being corrected without affecting the substance of the Bid.
- 30.2. Where there is a discrepancy between the amounts in figures and words, the amount in words will govern. If a Bidder refuses to accept the correction, its Bids shall be rejected. The Employer shall correct arithmetical errors on the following basis:
 - i. if there is a discrepancy between the unit price and the line item total, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Employer there is an obvious misplacement of the decimal point in the unit price, in which case the total price, as quoted, shall govern and the unit price shall be corrected; and
- 31. Evaluation of Bids
- 31.1. The Employer shall evaluate and compare only those Bids determined to be substantially responsive to the requirements of the Bidding Document.
- 31.2. To evaluate a bid, the employer shall consider the following:
 - (a) making appropriate adjustments to reflect discounts if any;
 - (b) Correction of arithmetic errors, and
 - (c) Where applicable, using the evaluation factors specified in Section 3, Evaluation and Qualification Criteria.
- 31.3. An affirmative determination of qualification shall be a prerequisite for award of the Contract to the Bidder. A negative determination shall result in disqualification of the Bid, in which event the *Employer* may proceed to the next substantially responsive Bid which offers the lowest evaluated bid to make a similar determination of that Bidder's qualifications to perform satisfactorily.

- 32. Abnormally Low Bids
- 32.1. An Abnormally Low Bid is one where the Bid price, in combination with other constituent elements of the Bid, appears unreasonably low to the extent that the Bid price raises material concerns as to the capability of the Bidder to perform the Contract for the offered Bid price. Before proceeding to further analysis, the Employer shall revisit their departmental estimate to ensure its realistic compared to the prevailing market rates.
- 32.2. Any bid price less than twenty percent (20%) from the employer's departmental estimate shall be scrutinized by seeking written clarifications from the Bidder, including detailed price analyses of its Bid price in relation to the subject matter of the contract, scope, proposed methodology, schedule, allocation of risks and responsibilities, and any other requirements of the request for bidding document.
- 32.3. After evaluation of the price analyses, in the event that the Employer determines that the Bidder has failed to demonstrate its capability to perform the Contract for the offered Bid Price, the Employer shall reject the Bid.
- 32.4. If the Procuring Agency decides to accept the abnormally low bid after considering the detailed price analysis, the Procuring Agency shall increase the performance security from ten percent (10%) up to maximum of 30% of the initial contract price; or
 - Alternatively, the procuring agency may ask the successful bidder to deposit the difference between departmental estimate and contract amount in the form of cash warrant in addition to 10% performance security. However, the total performance security amount shall be limited to maximum of 30% of initial contract price.
- 33. Seriously unbalanced Bids or Front Loaded
- 33.1. If the Bid that is evaluated as the lowest evaluated cost is, in the Employer's opinion, seriously unbalanced or front loaded the Employer may require the Bidder to provide written clarifications. Clarifications may include detailed price analyses to demonstrate the consistency of the Bid prices with the scope of works, proposed methodology, schedule and any other requirements of the bidding document.
- 332. After the evaluation of the information and detailed price analyses presented by the Bidder, the Employer may as appropriate:
 - (a) accept the Bid and increase the performance security from ten percent (10%) up to maximum of 30% of the initial contract price; or

Alternatively, the procuring agency may ask the successful bidder to deposit the difference between departmental estimate and contract amount in the form of cash warrant in addition to 10% performance security. However, the total performance security amount shall be limited to maximum of 30% of initial contract price; or

- (b) reject the Bid.
- 34. Employer's
 Right to Accept
 or Reject any
 or all
- 34.1. The Employer reserves the right to accept any Bid, to annul the Bid proceedings, or to reject any or all Bids, at any time prior to Contract award, without thereby incurring any liability to Bidders.

F. Contract Award

- 35. Award Criteria
- 35.1. The Employer shall award the Contract to the Bidders whose offer is substantially responsive to the Bidding Document and that has been determined to be the lowest evaluated Bid, provided that the Bidder is determined to be qualified to perform the Contract and upon fulfillment of works in hand ceiling prescribed by CDB.
- 36. Letter of Intent to Award the Contract/ Letter of Acceptance
- 36.1. The Employer shall notify the concerned Bidder whose bid has been selected in accordance with ITB 35.1 in writing (in the format in Section 4-hereafter called the "Letter of Intent to Award) that the Employer has intention to accept its bid and the copy of the letter of intent shall be given to all other bidders who submitted the bid. Such notification should be communicated in writing, including by cable, facsimile, telex or electronic mail to all the bidders on the same day of dispatch. The Employer shall ensure that the same information is uploaded on their website on the same day of dispatch.
- 36.2. If no bidder submits an application pursuant to ITB 38 within a period of ten (10) days of the notice provided under ITB 36.1, prior to the expiration of Bid validity, the Employer shall notify the successful Bidder, in writing that its Bid has been accepted. Until a formal contract is prepared and executed, the letter of acceptance shall constitute a binding Contract.
- 36.3. Within fifteen (15) working days of the receipt of the letter of acceptance from the Employer, the successful Bidder shall furnish the Performance Security, in the amount specified in the BDS.
- 36.4. Within fifteen (15) working days of receipt of the letter of acceptance, the successful Bidder shall sign the contract, date and return it to the Employer.

37. Debriefing by Employer

- 37.1. On receipt of the Employer's Notification of Intention to Award referred to in ITB 36.1, an unsuccessful Bidder has three (3) working Days to make a written request to the Employer for a debriefing. The Employer shall provide a debriefing to all unsuccessful Bidders whose request is received within this deadline.
- 37.2. Where a request for debriefing is received within the deadline, the Employer shall provide a debriefing within five (5) working days.
- 37.3. The Employer shall discuss only such Bid and not the bids of other competitors. The debriefing shall not include:
 - (a) point-by-point comparisons with another Bid; and
 - (b) information that is confidential or commercially sensitive to other Bidders.
- 37.4. The Purpose of debriefing is to inform the aggrieved bidder of the reasons for lack of success, pointing out the specific shortcomings in its bid without disclosing contents of other bids.

38. Complaints

- 38.1. The Bidder shall submit the complaint in writing within ten (10) days from the date of letter of intent to award the contract pursuant to ITB 36.1 to the Employer.
- 38.2. The head of agency shall, within 7 days after the submission of the complaint, issue a written decision.
- 38.3. The Bidder may appeal to the Independent Review Body within 5 days of the decision of the Head of the Procuring Agency or, where no such decision has been taken, within 15 days of the original complaint and the copy of the appeal shall be given to procuring agency on the same day.
- 38.4. Once the appeal copy is received by the procuring agency, it shall not proceed further with the procurement process until receipt of notification from the Independent Review Body Secretariat.

SECTION 2 - BIDDING DATA SHEET

Instructions for completing the Bidding Data Sheet are provided, as needed, in the notes in italics mentioned for the relevant ITB Clauses

italics mentioned for the relevant ITB Clauses					
ITB Clause	Amendment of, and Supplements to, Clauses in the Instructions to Bidders				
	A. General				
The Employer is [Gup, Gewog Administration, Sengye]					
	The Name and Identification of the Contract is/are [Construction of Chiwog Meeting Hall at Nyenyul under Sengye Gewog, Sarpang Dzongkhag]				
	The Works are [Civil and Electrical works]				
ITB 3.1	The category of contractor is: [small category of the contractors are eligible to bid for this tender]				
	B. Bidding Documents				
ITB 6.1	For <u>clarification of Tenders purposes</u> only, the Employer's address is:				
	Attention: [Gup,]				
	Address: [Gewog Administration, Sengye]				
	Telephone: [17341040/17772614] Facsimile number: [
	nil] Electronic mail address: [not applicable]				
C. Preparation of Bids					
ITB 14.3	The bid price shall not be adjustable:				
ITB 16.1	A simple bar chart is <i>not required</i>				
ITB 18.1	The Bid shall be valid up to: [60 days]				
ITB 20.1	In addition to the original, [1] copies shall be submitted.				
ITB 19.5	The Bid Security Amount is Nu. [38,912.00]				
	D. Submission and Opening of Bids				
ITB 21.3	The outer envelopes shall be addressed to: [Gup, Gewog Administration, Sengye]				
ITB 21.3(b)	The Bid opening shall take place on the same day as the closing day of the bid submission at: [16/11/2020 at 11.00 AM]				

ITB 22.1	For Bid submission purposes only, the Employer's address is:					
	Attention: Gup					
	Address: Gewog Administration, Sengye					
	The deadline for the submission of Tenders is: 16/11/2020 on or before 11.00 AM					
	E. Award of Contract					
ITB 36.3	The amount of Performance Security shall be [10%] of the Contract Price.					

SECTION 3 – EVALUATION AND QUALIFICATION CRITERIA

This section contains all the criteria that the Employer shall use to evaluate bids and qualify bidders. The Procuring Agency may apply basic minimum technical qualification requirement (key personnel and equipments) if there is a project specific need.

1. Evaluation

1.1. Evaluation shall be done to determine if the bidders meet the required qualifications to be considered for award of work.

2. Qualification Criteria

[Where applicable the following qualification criteria may be specified and delete if not required]

2.1. Key Personnel

[Procuring agency may specify requirements for each position as applicable]

No.	Position	Qualification	Number of years of relevant experience
1			
2			
3			
4			
5			

The Bidder shall provide details of the proposed key personnel and their relevant experience records in the relevant Forms included in Section 4, forms of Bid & Qualification information to fulfill the above requirements.

2.2. Equipment

[Procuring agency may specify requirements for each equipment as applicable]

No.	Equipment Type	Number required
1		
2		
3		
4		
5		

The Bidder shall provide further details of proposed items of equipment using the relevant Form in Section 4, forms of Bid & Qualification information to fulfill the above requirements.

2.3. Add any other criteria

SECTION 4: BIDDING FORMS

Table of Standard Forms

Standard Form: Form of Bid

Standard Form: Bid Securing Declaration Standard Form: Qualification Information

Standard Form: Letter of Intent

Standard Form: Form of bid

Notes on Form of Bid:

The Bidder shall fill in and submit this bid form with the Bid. If Bidders do not fill in the Contract Price and does not sign this Bid form, the bids will be rejected.

<u>-</u>	[date]
То	
Address	
We offer to execute the contract for construction of "	
[amount	
[name of currency].	
The contract shall be paid in Ngultrums (Nu.)	
This Bid and your written acceptance of it shall constitute a bir understand that you are not bound to accept the lowest or any	•
We hereby confirm that this Bid complies with the Bid validity and by the bidding documents and specified in the Bidding Data SI	
Authorized Signature:	
(Affix Legal Stamp)	
Name and Title of Signatory:	
Name of Bidder:	
Address:	

Form of Bid-Securing Declaration

	Date:
	IFB No.:
To:	
We, the ι	undersigned, declare that:
We unde Declaration	rstand that, according to your conditions, Bids must be supported by a Bid-Securing on.
within 14 eligible fo	of that we are required to pay the bid security amount specified in the Bidding Data Sheet days of your instruction and failure to do so will automatically exclude us from being or Bidding or submitting Bid in any contract with the Employer for the period of two years in breach of our obligation(s) under the Bid conditions, because we:
(a)	have withdrawn our Bid during the period of Bid validity specified by the Bidder in the Form of Bid; or
(b)	having not accepted the correction of errors in accordance with the Instructions to Bidders ITB 30.2; or
(c)	Having been notified of the acceptance of our Bid by the Employer during the period of Bid validity, (i) fail or refuse to furnish the performance security in accordance with the ITT, or (ii) fail or refuse to execute the Contract in accordance with the ITB 36.
the earlie	rstand this Bid-Securing Declaration shall expire if we are not the successful Bidder, upon or of (i) our receipt of your notification to us of the name of the successful Bidder; or (ii) days after the expiration of our Bid.
Signed: _	
In the cap	pacity of
Name:	
Duly auth	norized to sign the Bid for and on behalf of:
Dated on	day of,
Corporate	e Seal (where appropriate)

Affix Legal Stamp

Standard Form: Qualification Information

Notes on Form of Qualification Information: The following information is to be filled in by bidders which will be used for purposes of evaluation

1. 1.1.	Individual bidders Constitution of legal status of Bidder		[attach copy]				
	Place of r	registration:					
	Principal	place of business:					
	Power of	attorney of signatory of Bid	[attach]				
		or Key Personnel oposed Key Personnel					
requi	irements fo	I provide the names of suitably qualified key people each of the positions listed in Section 3(Evaluation experience should be supplied using the Form between the control of the control	ation and Qualification Criteria)				
1. Title of position							
	Name	•					
2.	Title of p	Title of position					
	Name						
3.	Title of p	position					
	Name						
The E		of Proposed Manpower provide all the information requested below. Fields with	asterisk (*) shall be used for				
Pos	ition*						
Personnel information		Name *	Date of birth				
		Qualifications:					
Present employment		Name of Employer:					
		Address of Employer:					

Experience					
From	From To Company, Project , Position, and Relevant Technical and Manageme Experience				

Summarize experience in reverse chronological order. Indicate particular technical and managerial experience relevant to the project.

Documents Required:

The Bidder shall provide following supporting documents for the above the proposed manpower:

- 1. Original signed CVs of technical manpower committed.
- 2. Copies of Citizenship ID Cards or work permit/ Passport/ Election/Voter ID cards (for foreign Workers) of all manpower committed.
- 3. Copies of contract agreements with all personnel if they have been hired on contract by the contractor.

1.3. Forms for Equipment

The Bidder shall provide adequate information to demonstrate clearly that it has the capability to meet the requirements for the key equipment listed in Section 3 (Evaluation and Qualification Criteria).

SI.No	Equipment Name & Type	Owned	Hired	Total No.
1.				
2.				
3.				
4.				

Documents Required:

The Bidder shall provide following supporting documents for the above proposed equipments:

- 1. Copy of the registration certificate of each equipment committed
- 2. Copy of Insurance policy for each equipment where applicable
- 3. In case of hiring, copy of the lease agreement in addition to 1 & 2 above
- 4. In case of equipments that do not require registration with RSTA copy of cash memos stamped by RRCO if newly imported or copy of sale deeds or verification letter issued by a Government Engineer.

Standard Form: Letter of Intent

(Letterhead paper of the Employer)

Notes on standard form of letter of Intent

This issuance of Letter of Intent (always before letter of acceptance) is the information of the selection of the bid of the successful bidder by the Employer and for providing information to other unsuccessful bidders who participated in the bid as regards the outcome of the procurement process

The Employer shall allow 10 days as described in ITB 36 between this letter of intent and letter of acceptance to allow aggrieved bidders to challenge your decision if they feel they have treated unfairly.

(Insert date)
o: [Name and address of the Contractor]
nis is to notify you that, it is our intention to award the contract for your Bid dated
[Insert name of the contract and identification number, as given in the BDS/SCC] for the ontract Price of
ornitaet if fice of a fine of the contract in figure and words and name of currency] as corrected and modified[if any particular or currections] in accordance with the Instructions to Bidders.
uthorized Signature:
ame and Title of Signatory:
ame of Agency:
C:

[Insert name and address of all other bidders who submitted the bid]

SECTION 5. GENERAL CONDITIONS OF CONTRACT

- 1. Definitions
- 1.1. The following words and expressions shall have the meaning hereby assigned to them. Boldface type is used to identify the defined terms:
 - (a) Completion Certificate means the Certificate issued by the Employer as evidence that the Contractor has executed the Works in all respects as per drawing, specifications, and Conditions of Contract.
 - (b) The Completion Date is the date of completion of the Works as certified by the Engineer, in accordance with GCC Clause 18.
 - (c) Contract means the Agreement entered into between the Employer and the Contractor to execute, complete and maintain the Works.
 - (d) Contractor means the person or corporate body whose Tender to carry out the Works has been accepted by the Employer and is named as such in the SCC.
 - (e) Contract Price is the price stated in the Letter of Acceptance and thereafter as adjusted in accordance with the provisions of the Contract.
 - (f) The **Contractor's Bid** is the completed Bid Document including the priced offer submitted by the Contractor to the Employer.
 - (g) Days mean calendar days.
 - (h) A **Defect** is any part of the Works not completed in accordance with the Contract.
 - (i) The **Employer** is the party named in the SCC who employs the Contractor to carry out the Works.
 - (j) The Engineer is the person named in the SCC, who is responsible for supervising the execution of the works and administering the Contract.
 - (k) The Intended Completion Date is the date specified in the SCC on which the Contractor shall complete the Works and may be revised if extension of time or an acceleration order is issued by the Engineer.
 - (I) The **Site** is the area defined as such in the SCC.
 - (m) A **Variation** is an instruction given by the Project Manager which varies the Works.
 - (n) The Works are what the Contract requires the Contractor to construct, install, and hand over to the Employer, as defined in the SCC.

- Interpretation & Documents forming the Contract
- 2.1. In interpreting the GCC, singular also means plural, male also means female or neuter, and the other way around. Headings in the GCC shall not be deemed part thereof or be taken into consideration in the interpretation or construance of the Contract. Words have their normal meaning under the language of the Contract unless specifically defined.
- 2.2. The following documents forming the Contract shall be interpreted in the following order of priority:
 - (a) the signed Contract Agreement.
 - (b) the Letter of Acceptance.
 - (c) the completed Bid form as submitted by the Bidder.
 - (d) the Special Conditions of Contract.
 - (e) the General Conditions of Contract.
 - (f) Specifications
 - (g) the Drawings.
 - (h) any other document listed in the SCC as forming part of the Contract.
- Corrupt,
 Fraudulent,
 Collusive or
 Coercive Practices
- 3.1. The Government requires that Employers, as well as Contractors shall observe the highest standard of ethics during the implementation of procurement proceedings and the execution of Contracts under public money.
- 3.2. In pursuance of this requirement, the Employer shall
 - (a) exclude the Contractor from participation in the procurement proceedings concerned or reject a proposal for award; and
 - declare a Contractor ineligible, either indefinitely or for a stated period of time, from participation in procurement proceedings under public money;

If at any time, determines that the bidder has engaged in corrupt, fraudulent, collusive or coercive practices in competing for, or in executing, a Contract under the public money.

- 3.3. The Government defines, for the purposes of this provision, the terms set forth below as follows:
 - (a) corrupt practice"⁵ is the offering, giving, receiving or soliciting, directly or indirectly, of anything of value⁶ to influence improperly the actions of another party;

- (b) "fraudulent practice"⁷ is any intentional act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;
- (c) "collusive practice" is an arrangement between two or more parties designed to achieve an improper purpose, including to influence improperly the actions of another party; and
- (d) "coercive practice" is impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party.
- 3.4. The Government requires that the Client's personnel have an equal obligation not to solicit, ask for and/or use coercive methods to obtain personal benefits in connection with the said proceedings.
- 4. Governing Language and Law
- 4.1. The Contract as well as all correspondence and documents relating to the Contract exchanged by the Contractor and the Employer, shall be written in English unless otherwise stated in the SCC. The Contract shall be governed by and interpreted in accordance with the laws of the Kingdom of Bhutan.
- 5. Engineer's Decision
- 5.1. Except where otherwise specifically stated in the SCC, the Engineer will decide Contractual matters between the Employer and the Contractor in the role as representative of the Employer.
- 6. Delegation
- 6.1. The Engineer may delegate any of his duties and responsibilities to his representative, after notifying the Contractor, and may cancel any delegation, without retroactivity, after notifying the Contractor.
- 7. Communications and Notices
- 7.1. Communications between Parties pursuant to the Contract shall be in writing to the address specified in the SCC. A notice shall be effective when delivered or on the notice's effective date, whichever is later.
- 8. Sub- Contracting
- 8.1. The Contractor shall not be permitted to subcontract any part of the Works in whole or in part.
- Contractor's Personnel & Equipment
- 9.1. The Contractor shall employ the key personnel named in the Schedule of Key Personnel, as referred to in the SCC, to carry out the functions stated in the Schedule, or other personnel approved by the Engineer. Similarly, the contractor shall deploy all committed equipments at site as and when required by the employer.

33

- 10. Welfare of Labourers & Child Labour
- 10.1. The Contractor shall provide proper accommodation to his labourers and arrange proper water supply, conservancy and sanitation arrangements at the site in accordance with relevant regulations, rules and orders of the government.
- 10.2. The Contractor shall comply with the applicable minimum age, labour laws and requirements of (including applicable treaties which have been ratified by) the Government of Bhutan regarding hazardous forms of child labour.
- Safety, Security and Protection of the Environment
- 11.1. The Contractor shall throughout the execution and completion of the Works and the remedying of any defects therein:
 - have full regard for the safety of all persons entitled to be upon the Site and keep the Site and the Works in an orderly state;
 - (b) provide and maintain at the Contractors own cost all lights, guards, fencing, warning signs and watching for the protection of the Works or for the safety on-site; and
 - (c) take all reasonable steps to protect the environment on and off the Site and to avoid damage or nuisance to persons or to property of the public or others resulting from pollution, noise or other causes arising as a consequence of the Contractors methods of operation.
- 12. Access to the Site
- 12.1. The Contractor shall allow the Engineer and any person authorised by the Engineer access to the Site and to any place where work in connection with the Contract is being carried out or is intended to be carried out.
- 13. Documents & Information.
- 13.1. The Contractor shall furnish to the Engineer all information, schedules, calculations and supporting documents that may be requested.
- 14. Property
- 14.1. If the contract is terminated by the Employer because of the contractors default, then, the contractor shall not be allowed to remove any materials on the Site, Plant, and Temporary Works until the matter is amicably resolved.
- 15. Insurance
- 15.1. The Contractor shall provide, in the joint names of the Employer and the Contractor, insurance cover from the Start Date to the end of the Defects Liability Period, in the amounts and deductibles stated in the SCC for the following events which are due to the Contractor's risks:
 - (a) loss of or damage to the Works, Plant and Materials to be built into the works.

- 15.2. The Contractor shall deliver policies and certificates of insurance to the Engineer, for the Engineer's approval, before the Start Date. All such insurance shall provide for compensation to be payable in the types and proportions of currencies required to rectify the loss or damage incurred. Payments received from insurers shall be used for the rectification of loss or damage.
- 15.3. If the Contractor does not provide any of the policies and certificates required, the Employer may effect the insurance which the Contractor should have provided and recover the premiums the Employer has paid from payments otherwise due to the Contractor or, if no payment is due, the payment of the premiums shall be a debt due.
- 16. Possession of the Site
- 16.1. The Employer shall give possession of the Site, or parts of the Site, to the Contractor on the date(s) specified in the SCC.
- 17. Commencement of Works
- 17.1. The Contractor may commence execution of the Works on the Start Date, or other such date as specified in the SCC, and shall carry out the Works in an expeditious manner.
- 17.2. If the Contractor fails to commence the works within the above stated period, the Employer may, at his sole discretion, terminate the Contract and may use the proceeds of the Performance Security to compensate for any losses thereof, if any.
- 18. Completion of Works
- 18.1. The Contractor shall complete the Works within the number of days stated in the SCC from the date of commencing the Works on the Site.
- 19. Programme of Works
- 19.1. Within the time stated in the SCC, the Contractor shall submit to the Engineer for approval a work program. The Contractor shall submit to the Engineer for approval an updated Programme at intervals no longer than the period stated in the SCC.
- 20. Early Warning
- 20.1. The Contractor shall warn the Engineer at the earliest opportunity of specific likely future events or circumstances that may adversely affect the quality of the work result in increase to the Contract Price or delay in the execution of the Works.
- 21. Compensation Events
- 21.1. The following shall be Compensation Events:
 - (a) the Employer does not give access to the Site or part of the Site by the Site Possession Date stated in the SCC clause 16; and
 - (b) if the payment is delayed pursuant to Clause 25.1.
- 21.2. If a Compensation Event would prevent the work being completed before the Intended Completion Date, the Intended Completion Date shall be extended, as appropriate, by the Engineer.

- 22. Non-Scheduled Items of Works
- 22.1. The Contractor shall be paid for non-scheduled items of works only when the Engineer approves such works and at the rates and in the manner stated in the SCC.
- 23. Schedule of Works
- 23.1. The Schedule of Works will contain rates for all items for the construction including temporary works, installation, testing, and commissioning work to be done by the Contractor.
- 23.2. The Contractor shall be paid for the quantity of the work done at the rate in the Contract Agreement for each item.
- 23.3. The Contractor shall be entirely responsible for all taxes, duties, license fees, and other such levies imposed outside and inside Bhutan.
- 24. Payment Certificates
- 24.1. The Contractor shall submit to the Engineer monthly statements of the estimated value of the work executed less the cumulative amount certified previously. The Engineer shall check the Contractor's monthly statement and certify the amount to be paid to the Contractor latest by 30 working days from the date of receipt of contractor's monthly statement in correct and complete form.
- 24.2. The value of work executed shall be determined by the Engineer.
- 24.3. The value of work executed shall comprise the value of the quantities of the items in the Schedule of Works completed.
- 24.4. The value of work executed shall include the valuation of Variations, Certified Dayworks and Compensation Events.
- 24.5. The Engineer may exclude any item certified in previous certificates or reduce the proportion of any item previously certified in any certificate in the light of later information.
- 25. Payments
- 25.1. The Employer shall pay the Contractor the amounts certified by the Engineer within thirty (30) days of the date of each certificate.
- 25.2. The Employer shall make Advance Payment (mobilization and secured advance) to the Contractor of the amounts and by the dates stated in the SCC. The mobilization advance shall be backed up by equivalent amount of unconditional Bank Guarantee (Form 4).
- 25.3. The Contractor is to use the advance payment only to pay for Equipment, Plant, Materials, and mobilisation expenses required specifically for the execution of the Contract. The Contractor shall demonstrate that the advance payment has been used in this way by submitting copies of invoices or other documents to the Employer.

- 25.4. The advance payment shall be recovered by deducting proportionate amounts from payments due to the Contractor, following the schedule of completed percentages of the Works on a payment basis. No account shall be taken of the advance payment or its repayment in assessing valuations of work done, variations, claims or any amount payable due to failure to complete the works.
- 26. Changes in Quantities¹⁰
- 26.1. If the final quantity of the work done differs from the quantity in the Bill of Quantities for the particular item by more than twenty percent (20%), provided the cost of variation beyond twenty percent (20%) limit exceeds one percent (1%) of the Initial Contract Value the Employer shall adjust the quoted rate up or down to allow for the change. Only when both conditions are met then the quoted rate shall be changed.
 - (a) If the quantity of work executed exceeds the quantity of the item in BOQ beyond the higher specified limit the Employer shall fix the market rate (which may be lower or higher than the quoted rate) to be applied for the additional quantity of the work executed.
 - (b) If the quantity of work executed is less than the quantity of the item in BOQ lesser than the lower specified limit, the Employer shall fix the market rate based on the submission of the contractor (which may be lower/higher than the quoted rate) to be applied for whole of the quantity of the work so executed for that particular item.
- 26.2. The rates shall not be adjusted from changes in quantities if thereby the Initial Contract Price is exceeded by more than five percent (5%), except with the prior approval of the Employer in consultation with the Tender Committee.
- 26.3. For works up to Nu. 50M, when quantity deviation exceeds twenty percent (20%) from the quantity in BOQ and the total cost of such deviations exceeds twenty percent (20%) of the initial contract price, the procuring agency shall seek prior approval of the Competent Authority (Finance Committee constituted in their respective agency)
- 26.4. If requested by the Project Manager, the Contractor shall provide the Project Manager with a detailed cost breakdown of any rate in the Bill of Quantities.

37

27. Variations

- 27.1. The Project Manager shall order any variation of the form, quality or quantity of the Works or any part thereof that may, in his opinion, be necessary. Each variation may include, but is not limited to, any of the following:
 - (a) increase or decrease in the quantity of any work included in the Contract,
 - (b) omission of any item of work,
 - (c) change in the character or quality or kind of any such work,
 - (d) change in the levels, lines, position and dimensions of any part of the works,
 - (e) additional work of any kind(not exceeding twenty percent (20%) of the original contract amount, or the maximum threshold value for the use of Limited Tender whichever is lower), or
 - (f) change in any specified sequence or timing of construction activities.
- 27.2. All Variations shall be included in updated Programs produced by the Contractor.
- 27.3. The Contractor shall provide the Project Manager with a quotation for carrying out the Variation when requested to do so by the Project Manager. The Project Manager shall assess the quotation, which shall be given within seven (7) days of the request or within any longer period stated by the Project Manager and before the Variation is ordered.
- 27.4. If the Contractor's quotation is unreasonable, the Project Manager may order the Variation and make a change to the Contract Price, which shall be based on the Project Manager's own forecast of the effects of the Variation on the Contractor's costs.
- 27.5. If the Project Manager decides that the urgency of varying the work would prevent a quotation being given and considered without delaying the work, no quotation shall be given and the Variation shall be treated as a Compensation Event.
- 27.6. The Contractor shall not be entitled to additional payment for costs that could have been avoided by giving early warning.

- 27.7. If the work in the Variation corresponds to an item description in the Bill of Quantities and if, in the opinion of the Project Manager, the quantity of work above the limit stated in Sub-Clause 26.1 or the timing of its execution do not cause the cost per unit of quantity to change, the rate in the Bill of Quantities shall be used to calculate the value of the Variation. If the cost per unit of quantity changes, or if the nature or timing of the work in the Variation does not correspond with items in the Bill of Quantities, the quotation by the Contractor shall be in the form of new rates for the relevant items of work.
- 27.8. For works up to Nu. 50 Million, if the value of additional work exceeds twenty percent (20%) of the initial contract price, the procuring agency shall seek prior approval of the Competent Authority (Finance Committee Constituted in respective agencies).
- 28. Retention
- 28.1. The Employer shall retain from each payment due to the Contractor the proportion stated in the SCC until the completion of the whole of the Works.
- 28.2. On completion of the whole of the Works, half the total amount retained shall be repaid to the Contractor, the remaining half when the Defects Liability Period has passed and the Engineer has certified that all Defects notified by the Engineer to the Contractor before the end of this period have been corrected.
- 29. Liquidated Damages
- 29.1. The Contractor shall pay liquidated damages to the Employer at the rate per day stated in the SCC for each day that the Completion Date is later than the Intended Completion date for the works or for any part thereof.
- 30. Performance Security
- 30.1. Upon receipt of letter of acceptance, a Performance Security shall be provided to the Employer in the amount and form stated in the Contract Forms (Form 3). The Performance Security shall be valid until a date thirty (30) days from the date of issue of the Certificate of Completion.
- 30.2. The proceeds of the performance security shall be payable to the Employer unconditionally upon first written demand as compensation for any loss resulting from the Contractor's failure to complete its obligations under the Contract.
- 31. Price Adjustment
- 31.1. Prices may be adjusted for fluctuations in the cost of materials only if contract duration exceeds 12 months and if so **provided** for in the SCC.

31.2. The adjustment shall be based on the cost of materials as reflected by the Material Index Numbers published by the National Statistical Bureau¹¹ (NSB), calculated for every successive period of 3 months after the 12th month of the Contract using the following formulae.

V = Wx0.80x0.75 x (M-M0)/M0

Where:

- V = amount of variation for materials payable to/recoverable from the contractor for the period under review;
- W = value of the work done during the period under review minus (amount of secured advance recovered in the same period + value of works executed under variations for which the variations are paid in the new rate);
 - M0 = Material Index for the month in which the tender was submitted:
 - M = the average value of the above Index Number for the 3 months period under review;
- 31.3. Price Adjustment shall apply only for work carried out within the stipulated time or extensions granted by the Procuring Agency and shall not apply to work carried out beyond the stipulated time for reasons attributable to the Contractor.
- 32. Completion
- 32.1. The Contractor shall request the Engineer to issue a Certificate of Completion of the Works, and the Engineer will do so upon deciding that the work is substantially completed.
- 33. Correction of Defects
- 33.1. The Engineer shall give notice to the Contractor of any Defects before the end of the Defects Liability Period, which begins at Completion, and is defined in the SCC. The Defects Liability Period shall be extended for as long as the Defects remain to be corrected.
- 33.2. If the Contractor has not corrected a Defect within the time specified in the Engineer's notice, the Engineer will assess the cost of having the Defect corrected, and the Contractor will pay this amount.
- 34. Taking Over
- 34.1. The Employer shall take over the Site and the Works within seven (7) days of the Engineer issuing a Certificate of Completion.

35. Final Account

- 35.1. The Contractor shall supply the Engineer a detailed account of the total amount that the Contractor considers payable under the Contract. The Engineer shall certify any final payment that is due to the Contractor within twenty-one (21) days of receiving the Contractor's account if it is correct and complete.
- 35.2. The Employer shall effect payment of the final account within thirty (30) days from the date of certification by the Engineer.

36. Termination

- 36.1. The Employer or the Contractor by giving thirty (30) days written notice of default to the other party, may terminate the Contract in whole or in part if the other party causes a fundamental breach of Contract.
- 36.2. Fundamental breaches of the Contract shall include, but shall not be limited to, the following:
 - (a) the Contractor stops work for more than thirty (30) days when no stoppage of work is shown on the current Programme and the stoppage has not been authorised by the Engineer;
 - (b) the Engineer gives notice that failure to correct a particular defect is a fundamental breach of Contract and the Contractor fails to correct it within a reasonable period of time determined by the Engineer;
 - (c) the Contractor has delayed the completion of the Works by the number of days for which the maximum amount of Liquidated Damages can be paid;
 - (d) the Contractor, in the judgment of the Employer, has engaged in corrupt or fraudulent practices, as defined in GCC Clause 3, in competing for or in executing the Contract; and
 - (e) a payment certified by the Engineer is not paid to the Contractor by the Employer within sixty (60) days of the date of the Engineer's certificate.
- 36.3. The Employer and the Contractor may at any time terminate the Contract by giving notice to the other party if either of the parties becomes bankrupt or otherwise insolvent. In such event, termination will be without compensation to any party provided that such termination will not prejudice or affect any right of action or remedy that has accrued or will accrue to the other party.
- 36.4. Notwithstanding the above, the Employer may terminate the Contract for convenience.
- 36.5. If the Contract is terminated, the Contractor is to stop work immediately, make the Site safe and secure and hand over the Site to the Employer as soon as reasonably possible.

37. Payment upon Termination

- 37.1. If the Contract is terminated because of a fundamental breach of Contract by the Contractor, the Engineer shall issue a certificate for the value of the work done and Plant and Materials ordered less advance payments received up to the date of the issue of the certificate and less the percentage to apply to the value of the work not completed, as indicated in the SCC. If the total amount due to the Employer exceeds any payment due to the Contractor, the difference shall be a debt payable to the Employer.
- 37.2. If the Contract is terminated for the Employer's convenience or because of a fundamental breach of Contract by the Employer, the Contractor shall be entitled to payments for completed works and the materials that have been brought to the site for the purpose of the works, but not used as certified by the Engineer after adjusting any payments received by the Contractor.

38. Release from Performance

38.1. If the Contract is frustrated by the outbreak of war or by any other event entirely outside the control of either the Employer or the Contractor, the Engineer shall certify that the Contract has been frustrated. The Contractor shall make the Site safe and stop work as quickly as possible, after receiving this certificate. The Contractor shall be paid for all works carried out before stoppage of work and any work carried out afterwards to which a commitment was made.

39. Force Majeure

- 39.1. For the purposes of this Contract, "Force Majeure" means an exceptional event or circumstance:
 - (a) which is beyond a Party's control,
 - (b) which such Party could not reasonably have provided against before entering into the Contract,
 - (c) which, having arisen, such Party could not reasonably have avoided or overcome, and
 - (d) which is not substantially attributable to the other Party.
- 39.2. Force Majeure may include, but is not limited to, exceptional events or circumstances of the kind listed below, so long as conditions (a) to (d) above are satisfied:
 - (a) war, hostilities (whether war be declared or not), invasion, act of foreign enemies,
 - (b) rebellion, terrorism, sabotage by persons other than the Contractor's Personnel, revolution, insurrection, military or usurped power, or civil war,
 - (c) riot, commotion, disorder, strike or lockout by persons other than the Contractor's Personnel,

- (d) munitions of war, explosive materials, ionizing radiation or contamination by radio-activity, except as may be attributable to the Contractor's use of such munitions, explosives, radiation or radio-activity, and
- (e) natural catastrophes such as earthquake, hurricane, typhoon or volcanic activity.
- 39.3. However, force majeure shall not include the following;
 - (a) rainfall
 - (b) snowfall
 - (c) strikes in other countries
 - (d) non-availability of labourer and materials such as timbers, boulders, sand, and other materials
 - (e) difficulty and risky terrain and remoteness of site.
- 40. Settlement of Disputes
- 40.1. The Employer and the Contractor shall use their best efforts to settle amicably all disputes arising out of or in connection with this Contract or its interpretation.
- 40.2. Any dispute between the parties to the Contract that may not be settled amicably will be referred to Arbitration at the initiative of either of the parties.
- 40.3. The Arbitration shall be conducted in accordance with the Arbitration Rules of the Kingdom of Bhutan in force.

SECTION 6. SPECIAL CONDITIONS OF CONTRACT

Instructions for completing the Special Conditions of Contract are provided, as needed, in the notes in italics mentioned for the relevant GCC Clauses.3

Clause Ref	Amendments of, and Supplements to, Clauses in the General Conditions of Contract
GCC 1.1(d)	The Contractor is [name, address and name of authorised representative].
GCC 1.1(i)	The Employer is [Gup, Gewog Administration, Sengye].
GCC 1.1(j)	The Engineer is [Suk Bir Subba].
GCC 1.1(k)	The Intended Completion Date for the whole of the Works shall be 6 months
GCC 1.1(I)	The Site is located at [Nyenyul Chiwog, Sengye Gewog].
GCC 1.1(m)	The Works are [Construction of Chiwog Meeting Hall at Nyenyul Chiwog]
GCC 2.2(h)	The additional documents forming part of this Contract are:
	["No additional documents".]
GCC 4.1	The Language governing the Contract shall be [English]
GCC 5.1	The Engineer shall obtain specific approval of the Employer before taking any of the following actions:
GCC 7.1	The addresses for Communications shall be:
	For the Employer:
	[Gup, Gewog Administration, Sengye]
	For the Contractor:
	[Insert name, address and contact details].
GCC 9.1	The Key Personnel of the Contractor are: as referred to in the SCC, to carry out the functions stated in the Schedule, or other personnel approved by the Engineer. Similarly, the contractor shall deploy all committed equipment's at site as and when required by the employer
GCC 15.1	For insurance purposes the type of cover required shall be: The contractor shall be responsible for the insurance [[As per the Royal Insurance Corporation of Bhutan Limited (RICBL) Norms (CAR)]
GCC 16.1	Possession of the site shall be within [1 day after the issue of work order]
GCC 17.1	Commencement of work shall be within [10] days from the date of handing over Possession of the Site.
GCC 18.1	Completion of works shall be within [6 months] from the date of commencing the works on the site.
GCC 19.1	The Contractor shall submit the first work plan [7] days after signing the Contract, and shall update the work plan every [7] weeks during the period of the Contract.
GCC 22.1	[None]
1.1	

GCC 25.2	An advance payment of [10] % of the Contract Price will be made to the Contractor within (14) days of Contract signing date.					
		cured advance of e paid at [30] days		of the materials brought at site		
GCC 28.1	The Re	tention shall be [10] % of the final conti	ract Price.		
GCC 29.1	stated in Comple	n the SCC for each tion date for the w				
	SI. No	LD Applied in %	No of days delayed.			
	1	0.06%	20 days			
	2	0.07%	40 days			
	3	0.08%	60 days			
	4	0.09 %	80 days			
	5	0.1 %	100 days			
	The imposition of LD shall not be segregated, the next higher percentage shall apply i.e, for 21 days 0.07% would apply instead of 0.06% for 20 days and 0.07% for 1 day. However, LD on termination of the works shall be levied on the total quoted amount or the initial contract price.					
GCC 31.1	Clause			ustment in accordance with GCC nly for Contracts of duration more		
		Until NSB comes up with the Material Index for the Royal Government of Bhutan, the Wholesale				
		Price- Index (all commodities) for Materials shall be used for the purpose of this clause. Visit www.eaindustry.nic.in for the Wholesale Price Index				
GCC 33.1	The De	fects Liability Per	iod shall be [6 month	s].		
GCC 37.1	Employ	er's additional c		ork not completed, representing the ne Works, is 20% of the balance contract price]		

SECTION 7 – CONTRACT FORMS

This section contains forms which, once completed, will form part of the Contract. The forms for Performance Security and Advance Payment Security, when required, shall only be completed by the successful Bidder after Contract award.

Contract Forms

Form - 1	Letter of Acceptance
Form - 2	Contract Agreement
Form - 3	Bank Guarantee for Performance Security
Form - 4	Bank Guarantee for Advance Payment

Letter of Acceptance

Contract No:	Date:
To:	
[Name and address of Contractor]	
project / Contract] for the Contract Price of	sert date] for the execution of the Works for [name of Nu [amount in figures and in words], as corrected and ons to bidder is hereby accepted by [name of the
acceptance shall constitute the formation of a	ecution of the Works on the basis that this letter of a Contract, which shall become binding upon furnishing ontract Agreement within fifteen (15) working days, in
We attach the Contract Agreement and S signature.	Special Conditions of Contract for your perusal and
	Signed
	Duly authorised to sign for and on behalf of [Name of Procuring Entity]
	Date:

Contract Agreement

THIS AGREEMENT, made the [day] of [month] [year] between [name and address of Employer] (hereinafter called "the Employer") of the one part and [name and address of Contractor] (hereinafter called "the Contractor") of the other part.

WHEREAS, the Employer invited Tenders for certain Works, viz, [brief description of the Works] and has accepted a Tender by the Contractor for the execution of those works in the sum of Ngultrum [insert amount in figures and words], hereinafter called "the Contract Price.

NOW THIS AGREEMENT WITNESSETH as follows:

- 1. In this Agreement, words and expressions shall have the same meanings as are respectively Assigned to them in the General Conditions of Contract hereinafter referred to.
- 2. The documents forming the Contract shall be interpreted in the following order of priority:
 - (a) The signed Contract Agreement;
 - (b) The letter of Acceptance;
 - (c) The completed Bid form as submitted by the Bidder;
 - (d) The Special Conditions of Contract;
 - (e) The General Conditions of Contract;
 - (f) Specifications
 - (g) The Drawings; and
 - (h) Any other document listed in the SCC as forming part of the Contract..
- In consideration of the payments to be made by the Employer to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Employer to execute and complete the Works and to remedy any defects therein in conformity in all respects with the provisions of the Contract.
- 4. The Employer hereby covenants to pay the Contractor in consideration of the execution and completion of the Works and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS whereof the Parties thereto have caused this Agreement to be executed in accordance with the laws of Bhutan on the day month and year first before written.

	For the Employer	for the Contractor
Signature		
Print Name		
Title		
In the preser	ice of (Name)	
Address		

Form-3

Bank Guarantee for Performance Security

[This is the format for the Performance Security to be issued by any financial institution in Bhutan In accordance with ITB Clause 36]

Contract No:	Date:
То:	
[Name and address of Employer]	
PERFORMAN	CE GUARANTEE No:
undertaken, pursuant to Contract No [refe	Contractor] (hereinafter called "the Contractor") has rence number of Contract] dated [date of Contract] tion of works [description of works] under the Contract.
Furthermore, we understand that, according a performance guarantee.	g to your conditions, Contracts must be supported by
without cavil or argument, any sum or sums in figures and in words] upon receipt by us of statement that the Contractor is in breach of	e of bank] hereby irrevocably undertake to pay you, not exceeding in total an amount of Nu [insert amount of your first written demand accompanied by a written its obligation(s) under the Contract conditions, without asons for your demand of the sum specified therein.
-	of guarantee], consequently, we must receive at the yment under this guarantee on or before that date.
Signature	Signature

Bank Guarantee for Mobilisation Advance

[this is the format for the Advance Payment Guarantee to be issued by a financial institutions in Bhutan in their letter pad in accordance with SCC Clause 25.2]

Contract No:	Date:
То:	
[Name and address of Employer]	
ADVANCE PA	YMENT GUARANTEE No:
undertaken, pursuant to Contract No [re	Contractor] (hereinafter called "the Contractor") has ference number of Contract] dated [date of Contract] cution of works [description of works] under the Contract.
Furthermore, we understand that, accor supported by a bank guarantee.	ding to your conditions, Advance Payments must be
without cavil or argument, any sum or sum in figures and in words] upon receipt by us statement that the Contractor is in breach	me of bank] hereby irrevocably undertake to pay you, s not exceeding in total an amount of Nu. [insert amount of your first written demand accompanied by a written of its obligation(s) under the Contract conditions, without reasons for your demand of the sum specified therein.
performed, or of any of the Contract docu	or other modification of the terms of the Contract to be ments which may be made between the Employer and s from any liability under this guarantee, and we hereby or modification.
-	ty of guarantee], consequently, we must receive at the payment under this guarantee on or before that date.
Signature	Signature

SECTION 8. BILL OF QUANTITIES (BOQ)

Name of Work: Construction of Chiwog Meeting Hall.

Location:- Nyenyul Chewog, Senggey Gewog

Bill of Quantities	(Civil	Works)
--------------------	--------	--------

		Bill of Quantities	(Civil Work	KS)		
Sl No.	Item Code	Description	Qty	Unit	Rate	Amount
		Earth work in excavation over areas,	20	CIII	11410	1 mount
		depth >300mm, width >1.5m, area >10				
		Sq.m on plan, including disposal of				
		excavated earth within 50m lead and				
		1.5m lift & disposed soil to be neatly				
1	EW0030	dressed-ordinary soil	195.00	Cu.m		
		Excavation in foundation trenches or				
		drains not exceeding 1.5m in width or				
		area 10 sq.m on plan including dressing				
		& ramming disposal of surplus soil	19.23	Cu.m		
		within 50m lead & 1.5m lift Ordinary				
2	EW0105	Soil.				
	L 11 0103	5011.				
		Filling of trenches sides of foundations				
		etc. in layers <200mm using selected	6.41	Cu.m		
		excavated earth ramming etc. within lead	0.41	Cu.III		
3	EW0195	50 m & lift 1.5m.				
	E 11 0193	Providing and laying Hand packed stone				
4	SM0072	filling or soling with stones	18.60	Cu.m		
_	51110072	Providing & laying in position cement				
		concrete excluding the cost of centering				
		and shuttering-All work upto plinth level.				
		1:3:6 (1cement: 3sand: 6graded crushed	12.39	Cu.m		
		stone 20 mm nominal size). In the wall	12.57	Cu.III		
		foundations and internal rooms as per				
5	CW0005	drawing.				
6	RC0003	Providing & laying in position reinforced	1.60	Cu.m		
7	RC0011	cement concrete work in plinth and	2.40	Cu.m		
8	RC0018	Providing & laying in position reinforced	6.59	Cu.m		
0	Redoid	Providing and fixing Thermo-	0.00	Cuilli		
		Mechanically Treated reinforcement bars				
		(Yeild Strenght 415 MPa) for R.C.C				
		work including cutting bending binding	1,504.20	Kg		
		and placing in position complete.				
9	RC0083	and placing in position complete.				
	110000	Providing & fixing centering and				1
		shuttering (formwork) including strutting				
		propping etc. and removal of formwork	33.40	Sq.m		
10	RC0090	in foundation and plinth etc.				
10	AC0090	Providing & fixing centering and				
		shuttering (formwork) including				
		strutting, propping etc. and removal of	37.55	Sq.m		
		formwork Lintels beams girders	31.33	Sq.III		
11	RC0092	bresummers cantilevers etc.				
11	RC0072	oresummers cantile vers etc.				
		Providing & fixing centering and				
		shuttering (formwork) including strutting	40.80	Sq.m		
		propping etc. and removal of formwork	40.00	54.111		
12	RC0093	Columns pillars post struts etc.				
14	AC0073	Corannia pinara post atruta etc.			!	1

	1				I I	
13	SM0005	Providing & laying Random Rubble Masonry with hard stone in foundation & plinth. In cement mortar 1:4.	18.53	Cu.m		
14	BW0146 + BW0172	Providing & laying concrete block brick in Foundation & Plinth-In cement mortar 1:4-Extra for concrete block brick work in superstructure above plinth level, up to floor two level	32.90	Cu.m		
15	BW0021	Providing and Laying Half Brick masonry (125mm) in superstructure below floor 2 level. In cement mortar 1:4.	26.39	Sq.m		
16	A/R	Providing & fixing Z-angled steel glazed doors, windows, ventilators of standard rolled steel sections joints mitred and welded with 15x3mm lugs embedded as required including p&f glass panes, 6mm glass and a coat of primer with coffee colour enameled paint two coatscomplete set as per drawing.	26.70	Sq.m		
17	SW0021	Steel work welded, in built up sections, trusses, frame-works including cutting, hoisting, fixing and appl. priming coat of red-In Tees, angles, flats and channels-Door Frame 50x50x6mm equal angle	136.80	Kg		
18	WW0346	Providing & fixing Flush Door shutters (pre-fabricated), block-board core with commercial ply veneer	10.50	Sq.m		
19	WW0630	Providing & fixing anodised aluminium kicking plate, 4mm thick with necessary aluminium screws etc. complete	3.36	Sq.m		
20		Providing & fixing M.S. sliding door bolt, bright finished, enamelled with necessary screws etc. complete				
a	WW0546		2.00	Each		
b	WW0547		4.00	Each		
21	WW0536	Providing & fixing M.S tower bolt (barrel type) with necessary screws etc. complete	12.00	Each		
22	WW0555	Providing & fixing M.S. handle with necessary screws etc. complete	12.00	Each		
22	A /D	Providing & fixing with 25mm dia. Stainless steel curtain rod and brackets including M.S flats 25x3x100mm and	22 50	M+		
23	A/R	plugs etc. complete	23.50	Mtr	 	
24	SW0021	Steel work welded, in built up sections, trusses, frame-works including cutting, hoisting, fixing and appl. priming coat of red-In Tubular sections	2,359.67	Kg		

Bhutan type Traditional Cornices in R.C.C 1:5.3 20 mm aggregate including cost of formwork including finishing with 6mm thick plaster on the exposed surface with cement mortar 1:3 excluding reinforcement & decorative painting cost as per standard design (Measurement to be taken along the cornice and wall junction) Single Storied building, including Phana 21.50 mtrs. 25 RC0040 Lintel Comice (only cornice portion at external face) Providing and fixing roof framing in trusses purlins rafters post plates including hoisting, painting wood preservatives ecc. (excluding steel tients) and frames for overhang ceilings and fase ceilings. In Mixed Confer. Providing and fixing Eaves Board (225x25mm) with moutding fitted and fixed with necessary serves. In Mixed 28 WW0030 Confer. Providing & fixing Plywood lining with necessary serves. In Mixed 28 WW0031 Providing & fixing Plywood lining with necessary stalls etc. including beading complete (excluding cost of frame)-6 mm. commercial Pal cement concrete flooring 1:2-4, finished with floating cost of neat cement complete (excluding cost of neat cement shift floating cost of neat cement shift floating cost of neat cement shift floating cost of neat cement including rounding of junctions with floating cost of neat cement shift floating cost of neat cement plaster skirting < 300mm height with cement mortar 1:3 with a floating cost of neat cement plaster skirting < 300mm height with cement mortar 1:3 with a floating cost of neat cement plaster skirting of 300mm height with cement mortar 1:3 with a floating cost of neat cement plaster of providing & fixing Pre Painted Steel Corrugated Roofing sheets including botts hooks and nuts Smm dia. with bitumen and G.I limpet washers filled with white lead for connection excluding the cost of purlins rafler and trusses. 2-5g (0.50mm) providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including botts hooks and nuts S		1		-		_
cost of formwork including finishing with 6mm thick plaster on the exposed surface with cement mortar 1:3 excluding reinforcement. & decorative painting cost as per standard design (Measurement to be taken along the cornice and wall junction) Single Storied building, including Phana 25 RC0040 Lintel Cornice (only cornice portion at external face) Providing and fixing roof framing in trusses purlins rafters post plates including hoisting, painting wood preservatives etc. (excluding steel items) and frames for overhang ceilings and fixing elives Board (225x25mm) with moudding fitted and fixed with necessary screws. In Mixed WW0030 Roviding & Bixing Plywood lining with necessary nails etc. including beading complete (excluding cost of frame)-6 WW0132 WW00133 Providing & Ising Plywood lining with necessary nails etc. including beading complete (excluding cost of frame)-6 WW0134 Providing & Ising Plywood lining with necessary nails etc. including beading complete (excluding cost of frame)-6 WW0135 Providing & Ising Plywood lining with necessary nails etc. including beading complete (excluding cost of frame)-6 Providing & Ising Plywood lining with necessary nails etc. including beading complete (excluding cost of neat cement skirring complete (excluding cost of neat cement mortar 1:3 with a floating coat of neat cement mortar 1:3 with a floating coat of neat cement mortar 1:3 with a floating coat of neat cement mortar 1:3 with a floating coat of neat cement mortar 1:4 with the bitumen and G.I limpet washers filled with white lead for connection excluding bots hooks and nuts 8mm dia. With bitumen and G.I impet washers filled with white lead for connection 25, (0.50mm) Providing & fixing Pro Painted Steel hooks and nuts 8mm dia. G.I limpet and bitumen washers for connection. 25, (0.50mm) Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of 311.49 sq.m			Bhutan type Traditional Cornices in			
firm thick plaster on the exposed surface with cement mortar 1:3 excluding reinforcement & decorative painting cost as per standard design (Measurement to be taken along the comice and wall junction) Single Storied building. including Phana 21.50 mtrs. 25 RC0040 Lintel Comice (only cornice portion at external face) 20.00 mtrs. 26 RC0044 external face) 20.00 mtrs. Providing and fixing roof framing in trusses purlins rafters post plates including hoisting, painting wood preservatives etc. (excluding steel items) and frames for overhang ceilings and faste citings. In Mixed Conifer. Providing and fixing Eaves Board (225x25mm) with moulding fitted and fixed with necessary screws. In Mixed (225x25mm) with moulding fitted and fixed with necessary screws. In Mixed (225x25mm) with moulding fitted and fixed with necessary screws. In Mixed (225x25mm) etc. including beading complete (excluding cost of frame)-6 28 WW0030 Conifer. Providing & fixing Plywood lining with necessary nails etc. including beading complete (excluding cost of frame)-6 29 WW0132 mm, commercial 1:2-4, finished with floating coat of neat cement including rounding off junctions with floating coat of neat cement including rounding off junctions with linear cement including rounding off junctions with floor Providing & fixing Pre Painted Steel Corrugated Roofing sheets including botts hooks and nuts 8mm dia. with bitumen and G.I limpet washers filled with white lead for connection excluding botts hooks and nuts 8mm dia. with bitumen and G.I limpet washers filled with white leaf for connection excluding botts hooks and nuts 8mm dia. With bitumen and G.I limpet washers for connection. 25g. 42 RF0007 (0.50mm) Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of an applying			R.C.C 1:1.5:3 20 mm aggregate including			
firm thick plaster on the exposed surface with cement mortar 1:3 excluding reinforcement & decorative painting cost as per standard design (Measurement to be taken along the cornice and wall junction) Single Storied building, including Phana 25 RC0040 Lintel Cornice (only cornice portion at external face) 26 RC0044 external face) 27 Providing and fixing roof framing in trusses purlins rafters post plates including hoisting, painting wood preservatives etc. (excluding steel items) and frames for overhang ceilings and faxed with necessary screws. In Mixed (225x25x25mm) with moulding fitted and fixed with necessary screws. In Mixed (225x25x25mm) with moulding fitted and fixed with necessary screws. In Mixed (225x25x25mm) and frames for overhang ceilings and fixed with necessary screws. In Mixed (225x25x25mm) with moulding fitted and fixed with necessary screws. In Mixed (225x25x25mm) with moulding fitted and fixed with necessary screws. In Mixed (225x25x25mm) with moulding firm providing & fixing Plywood lining with necessary nails etc. including beading complete (excluding cost of frame)-6 28 WW0030 Providing & fixing Plywood lining with necessary nails etc. including beading complete (excluding cost of frame)-6 29 WW0132 mm. commercial Pul cement concrete flooring 1:2:4, finished with floating coat of neat cement including rounding off junctions with floor solutions with floor providing & fixing floom ridges or hips in Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of gather at cement mortar 1:4 Providing and a			cost of formwork including finishing with			
with cement mortar 1:3 excluding reinforcement & decorative painting cost as per standard design (Measurement to be taken along the cornice and wall junction) Single Storied building. including Phana 25 RC0040 26 RC0044 external face: Providing and fixing roof framing in trusses purfins rafters post plates including hoisting, painting wood preservatives etc. (excluding steel tiems) and frames for overhang ceilings and fixed and fixed with necessary screws. In Mixed 27 WW0060 false ceilings. In Mixed Conifer. Providing and fixing Eaves Board (225x25mm) with moulding fitted and fixed with necessary screws. In Mixed 28 WW0030 Conifer. Providing & fixing Plywood lining with necessary nails etc. including beading complete (excluding cost of frame)-6 29 WW0132 mm, commercial Providing & laying Cement plaster skirring 300mm height with cement mortar 1:3 with a floating coat of neat cement including rounding off junctions with floor Providing & fixing Pre Painted Steel Corrugated Roofing sheets including bolts hooks and nuts 8mm dia. with bitumen and G.I limpet washers filed with white lead for connection excluding bolts hooks and nuts 8mm dia. With bitumen and G.I simpet washers filed with white leaf for connection. 25g. (0.50mm) Providing & fixing Pre Painted Steel Corrugated Roofing sheets including bolts hooks and nuts 8mm dia. G.I limpet and bitumen washers for connection. 25g. (0.50mm) Providing and laying 20mm cement plaster washers for connection. 25g. (0.50mm) Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and laying 20mm cement of the plaster at cement mortar 1:4 Providing and paplying one coat of coat of coat of coat of connection cement plaster at cement primer cement of the coat of partine coat of coat of coat of coat of coat of coat of partine coat of coa			6mm thick plaster on the exposed surface			
reinforcement & decorative painting cost as per standard design (Measurement to be taken along the cornice and wall junction) Single Storied building, including Phana 25 RC0040 Lintel Cornice (only cornice portion at external face) Providing and fixing roof framing in trusses purlins rafters post plates including hoisting, painting wood preservatives etc. (excluding steel items) and frames for overhang ceilings and fixed with necessary screws. In Mixed (225x52mm) with moulding fitted and fixed with necessary screws. In Mixed (225x52mm) with moulding fitted and fixed with necessary screws. In Mixed (205x52mm) with moulding fitted and fixed with necessary screws. In Mixed (205x52mm) with moulding fitted and fixed with necessary screws. In Mixed (205x52mm) with moulding fitted and fixed with necessary screws. In Mixed (205x52mm) with moulding fitted and fixed with necessary screws. In Mixed (205x52mm) with moulding fitted and fixed with floating cost of frame)-6 WW0030 Conifer. Providing & fixing Plywood lining with necessary nails etc. including beading complete (excluding beading cost of frame)-6 Plate cement concrete flooring 1:2:4, finished with floating cost of frame)-6 Providing & flaving Coment plaster skirting < 300mm height with cement mortar 1:3 with a floating cost of neat cement mortar 1:3 with a floating cost of neat cement mortar 1:3 with a floating cost of neat cement mortar 1:4 with white lead for connection excluding the cost of purlins rafter and trusses.25g (0.50mm) Providing & fixing Pre Painted Steel Corrugated Roofing sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection excluding the cost of purlins rafter and trusses.25g (0.50mm) Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. (0.50mm) Providing and fixing 20mm cement plaster at cement mortar 1:4 Providing and plying one coat of catched the providing and applying one coat of catched						
as per standard design (Measurement to be taken along the cornice and wall junction) Single Storied building. including Phana 21.50 mtrs. Lintel Cornice (only cornice portion at external face) Providing and fixing roof framing in trusses purlins rafters post plates including hoisting, painting wood preservatives etc. (excluding steel items) and frames for overhang ceilings and faise ceilings. In Mixed Conifer. Providing and fixing Eaves Board (225x25mm) with moulding fitted and fixed with necessary screws. In Mixed Conifer. WW0030 Conifer. Providing & fixing Plywood lining with necessary nails etc. including beading complete (excluding cost of frame)-6 mm, commercial Pal cement concrete flooring 1:2:4, finished with floating coat of neat cement 200mm aggregates. 40mm thick Providing & laying Cement plaster skirting < 300mm height with cement mortar 1:3 with a floating coat of neat cement including rounding off junctions with floor Providing & fixing Pre Painted Steel Corrugated Roofing sheets including bolts hooks and nuts 8mm dia with bitumen and G.I limpet washers filled with white lead for connection excluding the cost of purlins rafer and trusses. 25g (0.50mm) RF0003 (0.50mm) RF0007 (0.50mm) Providing & fixing foomm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. (0.50mm) RF0007 (0.50mm) Providing & fixing 60mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. (0.50mm) Providing & fixing 60mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. (0.50mm) Providing and fixing Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. (0.50mm) Providing and fixing Providing and applying one coat of providing and applying one coat of cather and plaster at cement mortar 1:4 PT00010 ement prim			_			
be taken along the cornice and wall junction) Single Storied building, including Phana 21.50 mtrs. Lintel Cornice (only cornice portion at external face) Providing and fixing roof framing in trusses purlins rafters post plates including hoisting, painting wood preservatives etc. (excluding steel items) and frames for overhang ceilings and face clings. In Mixed Conifer. WW00000 false ceilings. In Mixed Conifer. Providing and fixing Eaves Board (225x25mm) with moulding fitted and fixed with necessary with moulding fixed and fixed with necessary reaws. In Mixed WW0030 Conifer. Providing & fixing Plywood lining with necessary nails etc. including beading complete (excluding cost of frame)-6 WW0132 mm, commercial Pal cement concrete flooring 1:2:4, finished with floating cost of neat cement skirting < 300mm height with cement mortar 1:3 with a floating cost of neat cement mortar 1:3 with a floating cost of neat cement mortar 1:3 with a floating cost of neat cement mortar 1:3 with a floating cost of neat cement mortar 1:3 with a floating cost of neat cement mortar 1:3 with a floating cost of neat cement mortar 1:3 with a floating cost of neat cement mortar 1:3 with a floating cost of neat cement floating footh neat cement mortar 1:3 with a floating cost of neat cement with floor FL0130 with floor FR0003 (Rixing Pre Painted Steel Corrugated Roofing sheets including bolts hooks and nuts 8mm dia. with bitumen and G.I limpet washers filled with white lead for connection excluding the cost of purlins raffer and trusses, 25g (0.50mm) Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. (0.50mm) Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. (0.50mm) Providing and fixing 20mm cement providing and applying one coat of steel stems) 311.49 Sq.m						
Junction Single Storied building, including Phana 21.50 mtrs.			-			
25 RC0040 Including Phana 21.50 mtrs.			_			
25 RC0040 Lintel Cornice (only cornice portion at external face) Lintel Cornice (only cornice portion at external face) Providing and fixing roof framing in trusses purlins rafters post plates including hoisting, painting wood preservatives etc. (excluding steel items) and frames for overhang ceilings and false ceilings. In Mixed Conifer.			F / E			
Lintel Cornice (only cornice portion at external face) 20.00 mtrs.	25	D.C0040	including Phana	21.50		
Providing and fixing roof framing in trusses purlins rafters post plates including hoisting, painting wood preservatives etc. (excluding steel items) and frames for overhang ceilings and false ceilings. In Mixed Conifer. Providing and fixing Eaves Board (225x25mm) with moulding fitted and fixed with necessary screws. In Mixed Conifer. Providing & fixing Plywood lining with necessary nails etc. including beading complete (excluding cost of frame)-6 mm, commercial pale ment concrete flooring 1:2:4, finished with floating coat of neat cement 20mm aggregates, 40mm thick 20mm aggregates, 40mm aggregates, 40mm aggregates, 40mm aggregates, 40mm aggregates, 40mm aggr	25	RC0040	Lintal Coming (and a coming or and	21.50	mtrs.	
Providing and fixing roof framing in trusses purfins rafters post plates including hoisting, painting wood preservatives etc. (excluding steel items) and frames for overhang ceilings and false ceilings. In Mixed Conifer. Providing and fixing Eaves Board (225x25mm) with moulding fitted and fixed with necessary screws. In Mixed Conifer. Providing & fixing Plywood lining with necessary nails etc. including beading complete (excluding cost of frame)-6 29 WW0132 mm, commercial pal cement concrete flooring 1:2:4, finished with floating coat of neat cement mortar 1:3 with a floating coat of neat cement mortar 1:3 with a floating coat of neat cement mortar 1:3 with a floating coat of neat cement including rounding off junctions with floor 40 FL0130 with floor Providing & fixing Pre Painted Steel Corrugated Roofing sheets including bolts hooks and nuts 8mm dia. with bitumen and G.I Impet washers filled with white lead for connection excluding the cost of purfins rafter and trusses.25g (0.50mm) Providing & fixing 600mm ridges or hips in Pre Painted Steel Steets including bolts hooks and nuts 8mm dia G.I Impet and bitumen washers for connection. 25g. (0.50mm) Providing and laying 20mm cement plaster at cement mortar 1:4 PL0041 Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of councement plaster at cement mortar 1:4 Providing and applying one coat of square cement plaster at cement mortar 1:4 Providing and applying one coat of square cement plaster at cement mortar 1:4 Providing and applying one coat of square cement plaster at cement mortar 1:4 Providing and applying one coat of square cement plaster at cement mortar 1:4	2.5	D G00 44		•••		
trusses purlins rafters post plates including hoisting, painting wood preservatives etc. (excluding steel items) and frames for overhang ceilings and false ceilings. In Mixed Conifer. Providing and fixing Eaves Board (225x25mm) with moulding fitted and fixed with necessary screws. In Mixed Conifer. Providing & fixing Plywood lining with necessary nails etc. including beading complete (excluding cost of frame)-6 mm, commercial Pal cement concrete flooring 1:2:4, finished with floating coat of neat cement with floating coat of neat cement mortar 1:3 with a floating coat of neat cement mortar 1:3 with a floating coat of neat cement including rounding off junctions with floor Providing & fixing Pre Painted Steel Corrugated Roofing sheets including bolts hooks and nuts 8mm dia. with bitumen and G.I limpet washers filled with white lead for connection excluding the cost of purlins rafter and trusses, 25g (0.50mm) Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. (0.50mm) Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of cement plaster at cement mortar 1:4 Providing and applying one coat of cement plaster at cement mortar 1:4 Providing and applying one coat of cement plaster at cement mortar 1:4 Providing and applying one coat of cement primer	26	RC0044	external face)	20.00	mtrs.	
trusses purlins rafters post plates including hoisting, painting wood preservatives etc. (excluding steel items) and frames for overhang ceilings and false ceilings. In Mixed Conifer. Providing and fixing Eaves Board (225x25mm) with moulding fitted and fixed with necessary screws. In Mixed Conifer. Providing & fixing Plywood lining with necessary nails etc. including beading complete (excluding cost of frame)-6 mm, commercial Pal cement concrete flooring 1:2:4, finished with floating coat of neat cement with floating coat of neat cement mortar 1:3 with a floating coat of neat cement mortar 1:3 with a floating coat of neat cement including rounding off junctions with floor Providing & fixing Pre Painted Steel Corrugated Roofing sheets including bolts hooks and nuts 8mm dia. with bitumen and G.I limpet washers filled with white lead for connection excluding the cost of purlins rafter and trusses, 25g (0.50mm) Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. (0.50mm) Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of cement plaster at cement mortar 1:4 Providing and applying one coat of cement plaster at cement mortar 1:4 Providing and applying one coat of cement plaster at cement mortar 1:4 Providing and applying one coat of cement primer			Day it is a sea to Color and Color in the			
including hoisting, painting wood preservatives etc. (excluding steel items) and frames for overhang ceilings and fase ceilings. In Mixed Conifer. Providing and fixing Eaves Board (225x25mm) with moulding fitted and fixed with necessary screws. In Mixed Conifer. Providing & fixing Plywood lining with necessary nails etc. including beading complete (excluding cost of frame)-6 mm, commercial Pal cement concrete flooring 1:2:4, finished with floating coat of neat cement 20mm aggregates, 40mm thick Providing & laying Cement plaster skirting < 300mm height with cement mortar 1:3 with a floating coat of neat cement including rounding off junctions with floor Providing & fixing Pre Painted Steel Corrugated Roofing sheets including bolts hooks and nuts 8mm dia. with bitumen and G.I limpet washers filled with white lead for connection excluding bolts hooks and nuts 8mm dia. With bitumen and G.I limpet and bitumen washers for connection. 25g. (0.50mm) Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia. With hooks and nuts 8mm dia. With bitumen washers for connection. 25g. (0.50mm) Providing a fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia. With bitumen washers for connection. 25g. (0.50mm) Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of cement primer Providing and applying one coat of cement primer						
preservatives etc. (excluding steel items) and frames for overhang ceilings and false ceilings. In Mixed Conifer. Providing and fixing Eaves Board (225x25mm) with moulding fitted and fixed with necessary screws. In Mixed Conifer. Providing & fixing Plywood lining with necessary nails etc. including beading complete (excluding cost of frame)-6 mm, commercial Pal cement concrete flooring 1:2:4, finished with floating coat of neat cement with a floating coat of neat cement mortar 1:3 with a floating coat of neat cement mortar 1:3 with a floating coat of neat cement including rounding off junctions with floor Providing & fixing Pre Painted Steel Corrugated Roofing sheets including bolts hooks and nuts 8mm dia. with bitumen and G.I limpet washers filled with white lead for connection excluding the cost of purlins rafter and trusses.25g (0.50mm) Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. (0.50mm) Providing and alaying 20mm cement plaster atcement mortar 1:4 Providing and alaying 20mm cement plaster atcement mortar 1:4 Providing and applying one coat of sating of squm providing and applying one coat of sating squm cement plaster at cement mortar 1:4 Providing and applying one coat of cement primer						
and frames for overhang ceilings and false ceilings. In Mixed Conifer. Providing and fixing Eaves Board (225x25mm) with moulding fitted and fixed with necessary screws. In Mixed Conifer. Providing & fixing Plywood lining with necessary nails etc. including beading complete (excluding cost of frame)-6 per complete (excluding cost of neat cement 20mm aggregates, 40mm thick providing & laying Cement plaster skirting < 300mm height with cement mortar 1:3 with a floating coat of neat cement cement including rounding off junctions with floor providing & fixing Pre Painted Steel Corrugated Roofing sheets including bolts hooks and nuts 8mm dia. with bitumen and G.I limpet washers filled with white lead for connection excluding the cost of purlins raffer and trusses.25g (0.50mm) providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. 42 RF0007 (0.50mm) Troviding and laying 20mm cement plaster at cement mortar 1:4 providing and applying one coat of cement primer squame providing and applying one coat of cement primer squame providing and applying one coat of cement primer squame providing and squame coat of cement primer squame providing and squame coat of squame providing and applying one coat of squame cement primer squame providing and squame coat of squame cement primer squame providing and squame coat of squame cement primer squame coat of squame cement primer squame coat of squame cement primer squame cannot provide squame cement primer squame cannot provide provide cannot provide cannot provide provide cannot provide cannot provide provide cannot provide pr			including hoisting, painting wood	0.99	Cu.m	
27 WW0060 false ceilings. In Mixed Conifer. Providing and fixing Eaves Board (225x25mm) with moulding fitted and fixed with necessary screws. In Mixed 28 WW0030 Conifer. Providing & fixing Plywood lining with necessary nails etc. including beading complete (excluding cost of frame)-6 mm, commercial Pal cement concrete flooring 1:2:4, finished with floating coat of neat cement mortar 1:3 with a floating coat of neat cement mortar 1:3 with a floating coat of neat cement mortar 1:3 with a floating coat of neat cement mortar 1:3 with a floating coat of neat cement including rounding off junctions with floor Providing & fixing Pre Painted Steel Corrugated Roofing sheets including bolts hooks and nuts 8mm dia. with bitumen and G.I limpet washers filled with white lead for connection excluding the cost of purlins rafter and trusses.25g (0.50mm) Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. 42 RF0007 (0.50mm) Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of ement primer Providing and applying one coat of cement primer Providing and applying one coat of cement primer			preservatives etc. (excluding steel items)			
27 WW0060 false ceilings. In Mixed Conifer. Providing and fixing Eaves Board (225x25mm) with moulding fitted and fixed with necessary screws. In Mixed 28 WW0030 Conifer. Providing & fixing Plywood lining with necessary nails etc. including beading complete (excluding cost of frame)-6 mm, commercial Pal cement concrete flooring 1:2:4, finished with floating coat of neat cement mortar 1:3 with a floating coat of neat cement mortar 1:3 with a floating coat of neat cement mortar 1:3 with a floating coat of neat cement mortar 1:3 with a floating coat of neat cement including rounding off junctions with floor Providing & fixing Pre Painted Steel Corrugated Roofing sheets including bolts hooks and nuts 8mm dia. with bitumen and G.I limpet washers filled with white lead for connection excluding the cost of purlins rafter and trusses.25g (0.50mm) Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. 42 RF0007 (0.50mm) Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of ement primer Providing and applying one coat of cement primer Providing and applying one coat of cement primer			and frames for overhang ceilings and			
Providing and fixing Eaves Board (225x25mm) with moulding fitted and fixed with necessary screws. In Mixed WW0030 Conifer. Providing & fixing Plywood lining with necessary nails etc. including beading complete (excluding cost of frame)-6 29 WW0132 mm. commercial Pal cement concrete flooring 1:2:4, finished with floating coat of neat cement 20mm aggregates, 40mm thick Providing & laying Cement plaster skirting < 300mm height with cement mortar 1:3 with a floating coat of neat cement including rounding off junctions with floor Providing & fixing Pre Painted Steel Corrugated Roofing sheets including bolts hooks and nuts 8mm dia. with bitumen and G.I limpet washers filled with white lead for connection excluding the cost of purlins rafter and trusses, 25g (0.50mm) Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. (0.50mm) Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of cement primer 311.49 sq.m	27	WW0060	• •			
28 WW0030 (225x25mm) with moulding fitted and fixed with necessary screws. In Mixed Conifer. Providing & fixing Plywood lining with necessary nails etc. including beading complete (excluding cost of frame)-6 mm, commercial Pal cement concrete flooring 1:2:4, finished with floating coat of neat cement 20mm aggregates, 40mm thick providing & laying Cement plaster skirting < 300mm height with cement mortar 1:3 with a floating coat of neat cement including rounding off junctions with floor Providing & fixing Pre Painted Steel Corrugated Roofing sheets including bolts hooks and nuts 8mm dia. with bitumen and G.I limpet washers filled with white lead for connection excluding the cost of purlins rafter and trusses.25g (0.50mm) Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. 42 RF0007 (0.50mm) Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of cement primer 311.49 Sq.m						
fixed with necessary screws. In Mixed Conifer. Providing & fixing Plywood lining with necessary nails etc. including beading complete (excluding cost of frame)-6 mm, commercial Pal cement concrete flooring 1:2:4, finished with floating coat of neat cement 20mm aggregates, 40mm thick Providing & laying Cement plaster skirting < 300mm height with cement mortar 1:3 with a floating coat of neat cement including rounding off junctions with floor Providing & fixing Pre Painted Steel Corrugated Roofing sheets including bolts hooks and nuts 8mm dia. with bitumen and G.I limpet washers filled with white lead for connection excluding the cost of purlins rafter and trusses, 25g to 176.36 Sq.m Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. 42 RF0007 (0.50mm) Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of cement primer 311.49 Sq.m						
28 WW0030 Conifer. Providing & fixing Plywood lining with necessary nails etc. including beading complete (excluding cost of frame)-6 mm, commercial Pal cement concrete flooring 1:2:4, finished with floating coat of neat cement 20mm aggregates, 40mm thick Providing & laying Cement plaster skirting < 300mm height with cement mortar 1:3 with a floating coat of neat cement including rounding off junctions with floor Providing & fixing Pre Painted Steel Corrugated Roofing sheets including bolts hooks and nuts 8mm dia. with bitumen and G.I limpet washers filled with white lead for connection excluding the cost of purlins rafter and trusses.25g (0.50mm) 176.36 Sq.m Sq.m Sq.m Sq.m Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. 42 RF0007 (0.50mm) Troviding and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of cement primer 311.49 Sq.m Providing and applying one coat of cement primer 311.49 Sq.m Sq.m Providing and applying one coat of cement primer 311.49 Sq.m Sq.m Providing and applying one coat of cement primer 311.49 Sq.m Sq.m Providing and applying one coat of cement primer 311.49 Sq.m Sq.				55.00	Mtrs.	
Providing & fixing Plywood lining with necessary nails etc. including beading complete (excluding cost of frame)-6 mm, commercial Pal cement concrete flooring 1:2:4, finished with floating coat of neat cement 20mm aggregates, 40mm thick Providing & laying Cement plaster skirting < 300mm height with cement mortar 1:3 with a floating coat of neat cement including rounding off junctions with floor Providing & fixing Pre Painted Steel Corrugated Roofing sheets including bolts hooks and nuts 8mm dia. with bitumen and G.I limpet washers filled with white lead for connection excluding the cost of purlins rafter and trusses.25g (0.50mm) Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. 42 RF0007 (0.50mm) Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of cement primer Providing and applying one coat of cement primer 311.49 sq.m	28	WW0030	ı ,			
necessary nails etc. including beading complete (excluding cost of frame)-6 mm, commercial Pal cement concrete flooring 1:2:4, finished with floating coat of neat cement 20mm aggregates, 40mm thick Providing & laying Cement plaster skirting < 300mm height with cement mortar 1:3 with a floating coat of neat cement including rounding off junctions with floor Providing & fixing Pre Painted Steel Corrugated Roofing sheets including bolts hooks and nuts 8mm dia. with bitumen and G.I limpet washers filled with white lead for connection excluding the cost of purlins rafter and trusses.25g (0.50mm) RF0003 (0.50mm) Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. 42 RF0007 (0.50mm) Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of 21.49 Providing and applying one coat of 21.49 Sq.m	20	** ** 0030	Providing & fixing Plywood lining with			
complete (excluding cost of frame)-6 mm, commercial Pal cement concrete flooring 1:2:4, finished with floating coat of neat cement 20mm aggregates, 40mm thick Providing & laying Cement plaster skirting < 300mm height with cement mortar 1:3 with a floating coat of neat cement including rounding off junctions with floor Providing & fixing Pre Painted Steel Corrugated Roofing sheets including bolts hooks and nuts 8mm dia. with bitumen and G.I limpet washers filled with white lead for connection excluding the cost of purlins rafter and trusses.25g (0.50mm) Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. 42 RF0007 (0.50mm) Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of cement primer 157.91 84.41 Sq.m Sq.m						
29 WW0132 mm, commercial Pal cement concrete flooring 1:2:4, finished with floating coat of neat cement 30 FL0051 20mm aggregates, 40mm thick Providing & laying Cement plaster skirting < 300mm height with cement mortar 1:3 with a floating coat of neat cement including rounding off junctions with floor FL0130 with floor Providing & fixing Pre Painted Steel Corrugated Roofing sheets including bolts hooks and nuts 8mm dia. with bitumen and G.I limpet washers filled with white lead for connection excluding the cost of purlins rafter and trusses.25g (0.50mm) Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. 42 RF0007 (0.50mm) Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of cement primer Providing and applying one coat of cement primer 311.49 Sq.m				157.91	Sq.m	
Pal cement concrete flooring 1:2:4, finished with floating coat of neat cement 20mm aggregates, 40mm thick Providing & laying Cement plaster skirting < 300mm height with cement mortar 1:3 with a floating coat of neat cement including rounding off junctions with floor Providing & fixing Pre Painted Steel Corrugated Roofing sheets including bolts hooks and nuts 8mm dia. with bitumen and G.I limpet washers filled with white lead for connection excluding the cost of purlins rafter and trusses.25g (0.50mm) Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. 42 RF0007 (0.50mm) Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of cement primer Providing and applying one coat of cement primer	20	WWW.0100			-	
finished with floating coat of neat cement 20mm aggregates, 40mm thick Providing & laying Cement plaster skirting < 300mm height with cement mortar 1:3 with a floating coat of neat cement including rounding off junctions with floor Providing & fixing Pre Painted Steel Corrugated Roofing sheets including bolts hooks and nuts 8mm dia. with bitumen and G.I limpet washers filled with white lead for connection excluding the cost of purlins rafter and trusses.25g (0.50mm) Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. 42 RF0007 (0.50mm) Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of cement primer Providing and applying one coat of cement primer 311.49 Sq.m	29	WW0132				
Seq. m Seq. m Seq. m Seq. m Seq. m			_			
Providing & laying Cement plaster skirting < 300mm height with cement mortar 1:3 with a floating coat of neat cement including rounding off junctions with floor Providing & fixing Pre Painted Steel Corrugated Roofing sheets including bolts hooks and nuts 8mm dia. with bitumen and G.I limpet washers filled with white lead for connection excluding the cost of purlins rafter and trusses.25g (0.50mm) Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. (0.50mm) 42 RF0007 (0.50mm) Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of cement primer Providing and applying one coat of cement primer				84.41	Sq.m	
skirting < 300mm height with cement mortar 1:3 with a floating coat of neat cement including rounding off junctions with floor Providing & fixing Pre Painted Steel Corrugated Roofing sheets including bolts hooks and nuts 8mm dia. with bitumen and G.I limpet washers filled with white lead for connection excluding the cost of purlins rafter and trusses.25g (0.50mm) Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. 42 RF0007 (0.50mm) Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of cement primer 35.43 Sq.m 36.45 Sq.m 176.36 Sq.m 176.36 Sq.m 311.49 Sq.m	30	FL0051				
mortar 1:3 with a floating coat of neat cement including rounding off junctions with floor Providing & fixing Pre Painted Steel Corrugated Roofing sheets including bolts hooks and nuts 8mm dia. with bitumen and G.I limpet washers filled with white lead for connection excluding the cost of purlins rafter and trusses.25g (0.50mm) Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. 42 RF0007 (0.50mm) Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of cement primer 35.43 Sq.m 176.36 Sq.m 176.36 Sq.m 311.49 Sq.m						
cement including rounding off junctions with floor Providing & fixing Pre Painted Steel Corrugated Roofing sheets including bolts hooks and nuts 8mm dia. with bitumen and G.I limpet washers filled with white lead for connection excluding the cost of purlins rafter and trusses.25g (0.50mm) Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. 42 RF0007 (0.50mm) Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of cement primer 311.49 Sq.m						
40 FL0130 with floor Providing & fixing Pre Painted Steel Corrugated Roofing sheets including bolts hooks and nuts 8mm dia. with bitumen and G.I limpet washers filled with white lead for connection excluding the cost of purlins rafter and trusses.25g (0.50mm) Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. 42 RF0007 (0.50mm) 35.70 mtrs. Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of cement primer 311.49 Sq.m			mortar 1:3 with a floating coat of neat	35.43	Sq.m	
Providing & fixing Pre Painted Steel Corrugated Roofing sheets including bolts hooks and nuts 8mm dia. with bitumen and G.I limpet washers filled with white lead for connection excluding the cost of purlins rafter and trusses.25g (0.50mm) Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. 42 RF0007 (0.50mm) Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of cement primer			cement including rounding off junctions			
Corrugated Roofing sheets including bolts hooks and nuts 8mm dia. with bitumen and G.I limpet washers filled with white lead for connection excluding the cost of purlins rafter and trusses.25g (0.50mm) 176.36 Sq.m Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. 42 RF0007 (0.50mm) 35.70 mtrs. Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of cement primer Providing and applying one coat of cement primer	40	FL0130	with floor			
bolts hooks and nuts 8mm dia. with bitumen and G.I limpet washers filled with white lead for connection excluding the cost of purlins rafter and trusses.25g (0.50mm) Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. 42 RF0007 (0.50mm) Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of cement primer Providing and applying one coat of cement primer 311.49 sq.m						
bolts hooks and nuts 8mm dia. with bitumen and G.I limpet washers filled with white lead for connection excluding the cost of purlins rafter and trusses.25g (0.50mm) Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. 42 RF0007 (0.50mm) Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of cement primer Providing and applying one coat of cement primer 311.49 sq.m			Corrugated Roofing sheets including			
bitumen and G.I limpet washers filled with white lead for connection excluding the cost of purlins rafter and trusses.25g (0.50mm) Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. 42 RF0007 (0.50mm) Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of cement primer 176.36 Sq.m 311.49 Sq.m						
with white lead for connection excluding the cost of purlins rafter and trusses.25g (0.50mm) Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. 42 RF0007 (0.50mm) Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of cement primer Providing and applying one coat of cement primer 311.49 sq.m						
the cost of purlins rafter and trusses.25g (0.50mm) Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. 42 RF0007 (0.50mm) Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of cement primer 176.36 Sq.m 35.70 mtrs. 311.49 Sq.m						
41 RF0003 (0.50mm) 176.36 Sq.m Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. 42 RF0007 (0.50mm) 35.70 mtrs. Providing and laying 20mm cement plaster at cement mortar 1:4 Sq.m Providing and applying one coat of cement primer 311.49 sq.m			<u> </u>			
Providing & fixing 600mm ridges or hips in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. 42 RF0007 (0.50mm) 35.70 mtrs. Providing and laying 20mm cement plaster at cement mortar 1:4 Sq.m Providing and applying one coat of cement primer 311.49 sq.m	41	RF0003	1 2	176.36	Sa m	
in Pre Painted Steel sheets including bolts hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. 42 RF0007 (0.50mm) 35.70 mtrs. Providing and laying 20mm cement plaster at cement mortar 1:4 Sq.m Providing and applying one coat of cement primer 311.49 sq.m	1.1	11. 0000	Providing & fixing 600mm ridges or hips	270100	~9	
hooks and nuts 8mm dia G.I limpet and bitumen washers for connection. 25g. 42 RF0007 (0.50mm) 35.70 mtrs. Providing and laying 20mm cement plaster at cement mortar 1:4 Sq.m Providing and applying one coat of cement primer 311.49 sq.m						
bitumen washers for connection. 25g. (0.50mm) Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of cement primer Providing and applying one coat of cement primer 311.49 sq.m			<u> </u>			
42 RF0007 (0.50mm) Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of cement primer Providing and applying one coat of cement primer 311.49 sq.m			-			
Providing and laying 20mm cement plaster at cement mortar 1:4 Providing and applying one coat of cement primer Providing and applying one coat of cement primer 311.49 Sq.m	12	DE0007	_	25 70		
43 PL0041 plaster at cement mortar 1:4 Providing and applying one coat of cement primer 311.49 Sq.m 311.49 sq.m	42	KFUUU/	` /	33./0	murs.	
43 PL0041 plaster at cement mortar 1:4 Providing and applying one coat of cement primer 311.49 sq.m	12	DI 0041	- · · · · ·	311.49	Sq.m	
44 PT0010 cement primer 311.49 sq.m	43	PLUU41			-	
44 P10010 cement primer		DT0010		311.49	sq.m	
I Providing & applying white or colour! I I I	44	L10010			1	
washing-White washing with lime-new 112.61 sq.m				112.61	sq.m	
45 PT0020 work-three coats	45	PT0020	work-three coats			

Providing and applying finishing coats white Acrylic washable distemper two or more coats on new work including cement primer coat etc. complete. Providing, preparing and applying sq.ma sq.m sq.m sq.m sq.m sq.m sq.m sq.m sq.m	
more coats on new work including cement primer coat etc. complete. Providing, preparing and applying Sundang washable painting Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making the good walls etc20 mm nominal outer dia Pipes Providing & laying H.D.P.E pipes 12.5 PN including H.D.P.E fittings (excluding trenching refilling & thrust block)20mm Providing & fixing Indian-type vitreous china water closet squatting pan (Hindustan make) including 100mm H.C.I P or S trap 12lt low level vitreous china cistern and repair walls complete Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
more coats on new work including cement primer coat etc. complete. Providing, preparing and applying Sumdang washable painting Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making the good walls etc20 mm nominal outer dia Pipes Providing & laying H.D.P.E pipes 12.5 PN including H.D.P.E fittings (excluding trenching refilling & thrust block)20mm Providing & fixing Indian-type vitreous china water closet squatting pan (Hindustan make) including 100mm H.C.I P or S trap 12lt low level vitreous china cistern and repair walls complete Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
46 PT0042 cement primer coat etc. complete. Providing, preparing and applying Sumdang washable painting Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including chases and making the good walls etc20 mm nominal outer dia Pipes 48 PI0316 Providing & laying H.D.P.E pipes 12.5 PN including H.D.P.E fittings (excluding trenching refilling & thrust block)20mm Providing & fixing Indian-type vitreous china water closet squatting pan (Hindustan make) including 100mm H.C.I P or S trap 12lt low level vitreous china cistern and repair walls complete Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
Providing, preparing and applying Sundang washable painting Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making the good walls etc20 mm nominal outer dia Pipes Providing & laying H.D.P.E pipes 12.5 PN including H.D.P.E pites (excluding trenching refilling & thrust block) 20mm Providing & fixing Indian-type vitreous china water closet squatting pan (Hindustan make) including 100mm H.C.I P or S trap 12lt low level vitreous china cistern and repair walls complete Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
P70111 Sumdang washable painting Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making the good walls etc20 mm Providing & laying H.D.P.E pipes 12.5 PN including H.D.P.E fittings (excluding trenching refilling & thrust block)20mm Providing & fixing Indian-type vitreous china water closet squatting pan (Hindustan make) including 100mm H.C.I P or S trap 12lt low level vitreous china cistern and repair walls complete Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making the good walls etc20 mm nominal outer dia Pipes 48 Pl0316 Providing & laying H.D.P.E pipes 12.5 PN including H.D.P.E fittings (excluding trenching refilling & thrust block)20mm Providing & fixing Indian-type vitreous china water closet squatting pan (Hindustan make) including 100mm H.C.I P or S trap 12lt low level vitreous china cistern and repair walls complete Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making the good walls etc20 mm nominal outer dia Pipes Providing & laying H.D.P.E pipes 12.5 PN including H.D.P.E fittings (excluding trenching refilling & thrust block)20mm Providing & fixing Indian-type vitreous china water closet squatting pan (Hindustan make) including 100mm H.C.I P or S trap 12lt low level vitreous china cistern and repair walls complete Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making the good walls etc20 mm nominal outer dia Pipes Providing & laying H.D.P.E pipes 12.5 PN including H.D.P.E fittings (excluding trenching refilling & thrust block)20mm Providing & fixing Indian-type vitreous china water closet squatting pan (Hindustan make) including 100mm H.C.I P or S trap 12lt low level vitreous china cistern and repair walls complete Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making the good walls etc20 mm nominal outer dia Pipes Providing & laying H.D.P.E pipes 12.5 PN including H.D.P.E fittings (excluding trenching refilling & thrust block)20mm Providing & fixing Indian-type vitreous china water closet squatting pan (Hindustan make) including 100mm H.C.I P or S trap 12lt low level vitreous china cistern and repair walls complete Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making the good walls etc20 mm nominal outer dia Pipes Providing & laying H.D.P.E pipes 12.5 PN including H.D.P.E fittings (excluding trenching refilling & thrust block)20mm Providing & fixing Indian-type vitreous china water closet squatting pan (Hindustan make) including 100mm H.C.I P or S trap 12lt low level vitreous china cistern and repair walls complete Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making the good walls etc20 mm nominal outer dia Pipes Providing & laying H.D.P.E pipes 12.5 PN including H.D.P.E fittings (excluding trenching refilling & thrust block)20mm Providing & fixing Indian-type vitreous china water closet squatting pan (Hindustan make) including 100mm H.C.I P or S trap 12lt low level vitreous china cistern and repair walls complete Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making the good walls etc20 mm nominal outer dia Pipes 48 PI0316 Providing & laying H.D.P.E pipes 12.5 PN including H.D.P.E fittings (excluding trenching refilling & thrust block)20mm Providing & fixing Indian-type vitreous china water closet squatting pan (Hindustan make) including 100mm H.C.I P or S trap 12lt low level vitreous china cistern and repair walls complete Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making the good walls etc20 mm nominal outer dia Pipes Providing & laying H.D.P.E pipes 12.5 PN including H.D.P.E fittings (excluding trenching refilling & thrust block)20mm Providing & fixing Indian-type vitreous china water closet squatting pan (Hindustan make) including 100mm H.C.I P or S trap 12lt low level vitreous china cistern and repair walls complete Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making the good walls etc20 mm nominal outer dia Pipes Providing & laying H.D.P.E pipes 12.5 PN including H.D.P.E fittings (excluding tenching refilling & thrust block)20mm Providing & fixing Indian-type vitreous china water closet squatting pan (Hindustan make) including 100mm H.C.I P or S trap 12lt low level vitreous china cistern and repair walls complete Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making the good walls etc20 mm nominal outer dia Pipes 48 PI0316 Providing & laying H.D.P.E pipes 12.5 PN including H.D.P.E fittings (excluding trenching refilling & thrust block)20mm Providing & fixing Indian-type vitreous china water closet squatting pan (Hindustan make) including 100mm H.C.I P or S trap 12lt low level vitreous china cistern and repair walls complete Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making the good walls etc20 mm nominal outer dia Pipes Providing & laying H.D.P.E pipes 12.5 PN including H.D.P.E fittings (excluding trenching refilling & thrust block)20mm Providing & fixing Indian-type vitreous china water closet squatting pan (Hindustan make) including 100mm H.C.I P or S trap 12lt low level vitreous china cistern and repair walls complete Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making the good walls etc20 mm nominal outer dia Pipes Providing & laying H.D.P.E pipes 12.5 PN including H.D.P.E fittings (excluding trenching refilling & thrust block)20mm Providing & fixing Indian-type vitreous china water closet squatting pan (Hindustan make) including 100mm H.C.I P or S trap 12lt low level vitreous china cistern and repair walls complete Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
direction of Engineer in Charge. Concealed work, including cutting chases and making the good walls etc20 mm nominal outer dia Pipes Providing & laying H.D.P.E pipes 12.5 PN including H.D.P.E fittings (excluding trenching refilling & thrust block)20mm Providing & fixing Indian-type vitreous china water closet squatting pan (Hindustan make) including 100mm H.C.I P or S trap 12lt low level vitreous china cistern and repair walls complete Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
Concealed work, including cutting chases and making the good walls etc20 mm nominal outer dia Pipes Providing & laying H.D.P.E pipes 12.5 PN including H.D.P.E fittings (excluding trenching refilling & thrust block)20mm Providing & fixing Indian-type vitreous china water closet squatting pan (Hindustan make) including 100mm H.C.I P or S trap 12lt low level vitreous china cistern and repair walls complete Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
and making the good walls etc20 mm nominal outer dia Pipes Providing & laying H.D.P.E pipes 12.5 PN including H.D.P.E fittings (excluding trenching refilling & thrust block)20mm Providing & fixing Indian-type vitreous china water closet squatting pan (Hindustan make) including 100mm H.C.I P or S trap 12lt low level vitreous china cistern and repair walls complete Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
48 PI0316 nominal outer dia Pipes Providing & laying H.D.P.E pipes 12.5 PN including H.D.P.E fittings (excluding trenching refilling & thrust block)20mm Providing & fixing Indian-type vitreous china water closet squatting pan (Hindustan make) including 100mm H.C.I P or S trap 12lt low level vitreous china cistern and repair walls complete Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
48 PI0316 nominal outer dia Pipes Providing & laying H.D.P.E pipes 12.5 PN including H.D.P.E fittings (excluding trenching refilling & thrust block)20mm Providing & fixing Indian-type vitreous china water closet squatting pan (Hindustan make) including 100mm H.C.I P or S trap 12lt low level vitreous china cistern and repair walls complete Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
Providing & laying H.D.P.E pipes 12.5 PN including H.D.P.E fittings (excluding trenching refilling & thrust block)20mm Providing & fixing Indian-type vitreous china water closet squatting pan (Hindustan make) including 100mm H.C.I P or S trap 12lt low level vitreous china cistern and repair walls complete Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
PN including H.D.P.E fittings (excluding trenching refilling & thrust block)20mm Providing & fixing Indian-type vitreous china water closet squatting pan (Hindustan make) including 100mm H.C.I P or S trap 12lt low level vitreous china cistern and repair walls complete Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
PN including H.D.P.E fittings (excluding trenching refilling & thrust block)20mm Providing & fixing Indian-type vitreous china water closet squatting pan (Hindustan make) including 100mm H.C.I P or S trap 12lt low level vitreous china cistern and repair walls complete Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
Providing & fixing Indian-type vitreous china water closet squatting pan (Hindustan make) including 100mm H.C.I P or S trap 12lt low level vitreous china cistern and repair walls complete Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
Providing & fixing Indian-type vitreous china water closet squatting pan (Hindustan make) including 100mm H.C.I P or S trap 12lt low level vitreous china cistern and repair walls complete Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
china water closet squatting pan (Hindustan make) including 100mm H.C.I P or S trap 12lt low level vitreous china cistern and repair walls complete Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
china water closet squatting pan (Hindustan make) including 100mm H.C.I P or S trap 12lt low level vitreous china cistern and repair walls complete Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
(Hindustan make) including 100mm H.C.I P or S trap 12lt low level vitreous china cistern and repair walls complete Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
H.C.I P or S trap 12lt low level vitreous china cistern and repair walls complete Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
Providing & fixing white vitreous china wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
wash basin, including C.I brackets, 15mm C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
C.P. brass pillar taps, c.p. chain & rubber 2.00 Each	
1 1 1	
plug, 32mm pvc waste, 32mm dia. trap &	
union, repair wallsFlat back wash basin-	
630x450mm with a pair of 15mm c.p.	
51 PI0085 brass pillar taps	
Providing & fixing Kitchen Sinks	
including all connections and fittings-	
Stainless steel, 450 x 400 x 150 mm,	
52 PI0121 single bowl	
Providing & fixing c.n. brass stop cock	
53 PI0189 Sommanus Complete. 3.00 Each	
Providing & fixing c.p. brass bibcock	
54 PI0205 15mm vertical c.p. knob complete. 3.00 Each	
37 110203 13 min vertical c.p. knob complete.	
Providing & fixing P.V.C soil waste and	
vent pipes single or double socketed 6.00 mtrs.	
including pipe clip complete (excluding	
55 PO0370 the cost of PVC fittings) - 75mm dia.	

	1	 				1	
56	PO0372	Providing & fixing P.V.C soil waste and vent pipes single or double socketed including pipe clip complete (excluding the cost of PVC fittings)- 110mm dia.	10.00	mtrs.			
57	PO0405	Providing & fixing P.V.C plain bend 75mm dia.	3.00	Each			
58	PO0407	Providing & fixing P.V.C plain bend 110mm dia.	2.00	Each			
59	PO0417	Providing & fixing P.V.C door bend 110mm dia.	2.00	Each			
60	PO0610	Constructing Septic Tanks in R.R Masonry in cement mortar 1:6 including fittings C.I cover with frame 40mm thick concrete flooring (40mm aggregates) cement plaster concrete base in C.C 1:4:8 etc. complete as per standard design 15 users	1.00	Each			
61	PO0600	Constructing Soak Pit Size 1200 x 1200 x 1200mm filled with brick bats including 100mm SW drain pipe X 1200mm long	1.00	Each			
62	DR0001	Providing and laying 50mm thick Plinth Protection and grouted with fine sand mix including well rammed finishing the top with cement concrete 1:3:6 20mm aggregates laid over 75mm thick layer of compacted gravel (40mm) and neat cement finish over PCC 1:6 Neat cement finish shall be in Chequered Pattern of Approximate size of 450x450 to make it skid-proof complete as per the specifications	69.60	Sq.m			
63	OHS001	Incorporation of Occupational Health and Safety measures at construction sites as per the attached requirement list. The standard and specifications for the insurance, OHS materials and (or) equiptment shall be in compliance with the Labour and Employment Act 2007, regulation on occupational health, safety and Walfare 2012, and other relevant national documents. All OHS items will remain as the property of the bidder upon completion of the project.	1 (Civil Wool	Lumpsum			
		A. Total Amount Nu. B. Total Amount Nu. (Elec	•				
		Grant Total Amo				1	
-	In words:						

In words:

Name of work: Electrification of Chiwog Meeting Hall Location: Sengye Gewog, Sarpang Bill of Quantities (Electrical Works)

SL.NO.	CODE	DISCRIPTION OF ITEMS	QNTY	UNIT	RATE	AMOUNT
A		Wiring and sub main wiring				
		Wiring for light, fans, call bell and 2 pin				
		light socket outlet with 1.5 sq.mm 1.1kV				
		grade, PVC insulated copper conductor				
		cable in recessed HDPE pipe including				
		connections, painting, testing and				
		commissioning etc. as required				
1		Short Point	12	point		
2	WC0301	Medium point	10	point		
		Wiring for lighting circuit with 1.1kV grade,				
		PVC insulated copper conductor cable in				
		recessed HDPE pipe including connections,				
		painting, testing and commissioning etc. as				
3	WC0391	required 2x2.5 sq.mm	35	m		
3	** C0371		33	111		
		Wiring for 5/6 pin, 6/16 ampere plug point				
		with 4 sq.mm 1.1kV grade, PVC insulated				
		copper conductor cable in recessed HDPE pipe with providing and fixing 5/6 pin, 6/16				
		ampere socket outlet and switch including				
		earthing the third pin, connections, painting,				
		testing and commissioning etc. as required				
4	WC0341	Medium point	2	noint		
5	WC0341 WC0342	Long Point	4	point point		
B	W C0342	Switches and boxes		point		
Б						
		Supplying & fixing of 6A switch on existing				
		PVC/metal / moulded tough surface box				
		(recessed or surface) including necessary				
		cutting, connection testing etc. as required.				
1	SS120	6A switch SP 1-way	22	each		
		Supplying & fixing of socket/regulator on				
		existing PVC/metal / moulded tough surface				
		box (recessed or surface) including				
		necessary cutting, connection, testing etc. as required				
2	SS0135	Dimmer/regulator	5	each		
		Supplying & fixing of PVC boxes for				
		switch/socket outlet/switch socket combined/				
		gang switches on surface including painting				
		etc as required				
3		8 Module	2	each		
4		6 Module	1	each		
5		2 Module	2	each		
6	BX0022	3 Module	1	each		
C		Lamps and luminiaries				

					•
1	IL0170	Supplying of prewired indoor LED lamp luminiaries housing of CRCA sheet steel rail, end with lamp holders, copper wound ballast, starter, starter holder, terminal block etc. but without lamp, HPF suitable for wall and ceiling directly or pendant (Suitable to hang from steel trusses) Mounting box 1x36/40 watt	11	each	
	ILOTYO	Supplying of LED tube light 240 volts A.C	- 11	Cucii	
2	LS0131	18W	11	each	
3	A-R	Supplying of adjust surface/recessed round LED panel lamp of 18W	4	each	
		Supplying & fixing of switch/socket on existing wooden board/round block/junction box (PVC/metal) including necessary cutting, connection testing etc. as required.			
4	SS0047	Ceiling Rose, 2 plate (PVC) 6A	16	each	
D		Fan and Air Conditioners			
		Supplying of ceiling fan 240 volt A.C 1400 rpm with all accessories such as down rod, sweep 3 Nos., canopy 2 Nos., condenser and fan body etc. complete as required			
1	FN0002	1200mm sweep	5	each	
E		Control gears			
		Supply of miniature circuit breaker (MCB) single pole, 230 volt A.C complete with all accessories suitable to fix on a din-bar etc. as required			
1	GB0270	6A	3	each	
2	GB0272	16A	6	each	
		Supply of residual current circuit breaker (RCCB) double pole, sensitivity 100mA, 230 volt A.C complete with all accessories suitable to to fix on a din-bar etc. as required			
3	GB0444	63A	1	each	
		Supply of miniature circuit breaker (MCB) double pole, 230 volt A.C complete with all accessories suitable to fix on a din-bar etc. as required			
4	GB0355	63A	1	each	
	GD 25 i 5	Supply of TPN distribution board (DIN type,horizontal) with arcylic door,415 volt A.C complete with all accessories without MCB/isolator/RCCB out going or incoming etc. as required			
5	GB0545	2way	1	each	
6	GB0548	12way	1	each	I
F	GD0540	Erections and Installations	_	cacii	

		Installation, testing and commissioning of			
		prewired fluorescent fittings of all surface			
		type complete with all accessories and tubes			
		directly on ceiling/wall as required including			
		connection with PVC insulated copper			
		conductor			
1	EI0041	1.5 sq.mm single core cable 1.1 KV grade	11	each	
		Erection of all indoor recessed type ceiling			
		fittings/ wall fittings, GLS lamps, fixing of			
		lamp, testing etc. as required including			
		connection with PVC insulated copper			
		conductor			
2	EI0016	1.5 sq.mm single core cable 1.1 KV grade	6	each	
		Installation, testing and commissioning of all			
		size ceiling fan and regulator including			
		wiring the down rod of standard length upto			
		300mm with PVC insulated copper			
		conductor			
3	EI0096	1.5 sq.mm single core cable 1.1 KV grade	5	each	
		Installation, testing and commissioning of			
		SPN/DP miniature circuit breaker DIN type			
		complete with all accessories to			
		accommodate on/in prefabricated MS			
		surface /MS cubical control panel board			
		including drilling holes, connections etc as			
		required			
4	EI0380	6/10/16/20A	9	each	
		Installation, testing and commissioning of			
		SPN/DP miniature circuit breaker/ isolator			
		DIN type complete with all accessories to			
		accommodate on/in prefabricated MS			
		surface /MS cubical control panel board			
		including drilling holes, connections etc as			
		required			
5	EI0400	50/63A	2	each	
		Installation, testing and commissioning of			
		SPN DB (DIN type, horizontal/vertical) with			
		no door, metal door or arcylic door			
		(double/single door) complete with all			
		accessories to accommodate incoming			
		RCCB DP 16/25A sensitivity			
		30/100/300mA and outgoing SP MCB			
		6/10/16A on/in prefabricated MS			
		surface/MS cubical control panel board			
		including drilling holes, connections etc. as			
		required			
6	EI0495	2 way	1	each	
		~			


	1				
		Installation, testing and commissioning of			
		TPN DB (DIN type, horizontal/vertical) with			
		no door, metal door or arcylic door			
		(double/single door) complete with all			
		accessories to accommodate incoming			
		RCCB/ELCB/RCBO FP 125A sensitivity			
		30/100/300mA and outgoing SP MCB			
		6/10/16A on/in prefabricated MS surface			
		/MS cubical control panel board including			
		drilling holes, connections etc. as required			
		drining notes, connections etc. as required			
7	EI0555	12 way	1	each	
		Providing and fixing of termite resistant			
		wooden distribution boards with GI			
7	E6-01-03	wiremesh shutter panel having locking	1	each	
		arrangement: 500x600x230 deep (Internal			
		finished sizes)			
G		Earthing			
		Providing and fixing of earthing including			
		all accessories, machinery enclosure, C.I			
		cover plate having locking arrangement,			
		watering pipe with excavation and refilling			
		work including charcoal or coke and salt			
		complete as required as per standard			
		earthing drawing			
1	ET0002	With copper earth plate 600x600x3mm	2	each	
		Providing and laying earth connection from			
		earth electrodes in 15mm dia G.I pipe from			
		earth electrodes as required as per guidence			
		of standard earthing drawing			
2	ET0016	With 4.06mm dia (8SWG) copper wire	45	each	
H		Lightning protection system			
		Providing and fixing lightning conductor			
		including holes etc. complete as required			
1	1.00000	25mm dia 900mm long copper tube four	1	00-1-	
1	LG0002	prong at top with 85mm dia 3mm thick	1	each	
I		copper base plate Energy meter			
1					
1	A-R	Supplying and fixing of energy meter 1- phase, 230V	1	each	
\mathbf{J}	\(\alpha\)-1\(\cdot\)	Supplying and laying of power cable	1	Cacii	
		Supplying and laying of power cable Supplying of 2- Core 1.1KV grade PVC			
		insulated and sheathed Aluminium conductor			
		armoured power cables			
1	PC0123	10 sq.mm	70	m	
	1 00123	-	70	111	


		Laying of one number PVC insulated and sheathed power cable copper/aluminium,armoured/un-armoured 1.1KV single core to four core direct in the ground including excavation, sand cushing, protective covering and refilling the trenches etc. as required				
2	CL0002	Above 6sq.mm to 25sq.mm	70	m		
	Total Amount Nu. (Electrical)					


SECTION 9. DRAWINGS


Notes on Drawings


Insert here a list of Drawings. The actual Drawings, including site plans, should be attached to this section or annexed in a separate folder. The Drawings shall be dated, numbered and show the revision number.





































Occupational Health and Safety worksheet for Road works

Name of work :-	Construction of Chewog Meeting Hall at Nyenyul Chewog
Location :-	Sengye Gewog
Estimation amount :-	1900745.96

otal OF	IS as calculated (1998.6 x (estimatiom amount) ^{-0,409}	5.4031	4.0000	
I No	Particular	Weightage	Weightage (%)	
A	INSURANCE	30%	1.2000	
В	PERSONAL PROTECTIVE EQUIPMENT	30%	1.2000	
С	COMMON PROTECTIVE MEASURES	40%	1.6000	
Sl.No	Particulars	Weightage	Required/Not required	Remarks
A	INSURANCE	1.2	Yes	
В	PERSONAL PROTECTIVE EQUIPMENT(30%)	1.2	0.1091	
l	Protective clothing	0	No	
2.	Safty helmet	0.1091	Yes	
3	Safty belt/safty harness	0	No .	
4	Safty shoes	0.1091	Yes	
5	Protective gloves	0.1091	Yes	
6	Safty goggle and spectacles	0.1091	Yes	
7	Safty Net	0	No	
8	Ear muffs/plug	0	No	
9	Welding shield/glass	0.1091	Yes	VANAGA SA
10	Protective mask	0	No	
11	Leather gloves	0	No	
reduk plane a stradi	Appliable PPE (%)	0.54550000		
С	COMMON PROTECTIVE MEASURES(40%)	1.6	0.1231	
1	First Aid kits	0.1231	Yes	
2	Medical examination	0	No	
3	Accommodation, Sanitation and washing facilities	0.1231	Yes	20
4	Safty signs and signboard	0.1231	Yes	
5	Boundary fence	0.1231	Yes	
6	Fire and electrical safty	0	No	
7	Fall protection	0.1231	Yes	
8	Trained OHS Officers/Safty supervisor/Safty	0	No	
9	Safty and Health orientation to new workers and safty	0	No	N. C.
10	House keeping	0	No	
11	Traffic management at construction site	0	No	
12	Trained first aider	0	No	
13	Trenching and excavation safty	0	No	
	Appliable PPE (%)	0.6155		
***************************************	Final appliable OHS for this work (%)	2.3610		
	Total amount for OHS of this work (Nu.)	44876.61		

Ngultrum FourtyFour Thousand Eight Hundred SeventySix Chetrum SixtyOne Only

Prepared by

Checked by

Sigyal Wangchuk Assistant Engineer

Dzongkhag Chief Engineer